3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358

License #: OCM-PROC-24-000024

Certificate of Analysis



Date Released: 11/12/2024 6:09:31PM

Report #: 29694

Punch Runtz 8th

Sample #: 6816, Weight: 70.00g, Unit Count:

Order #: X241101-0035


Category/Type: Plant, Flower - Cured Date Collected: 10/31/2024 6:10:00PM Date Received: 11/1/2024 11:06:17AM Date Sampled: 10/31/2024 12:37:00PM Regulator Sample ID: PURU-FL-1456-24-3.5 Regulator Source Package ID: PURU-FL-1456-24-3.5

Regulator Batch ID: PURU-FL-1456-24-3.5

Size: 6479Units, Unit Count:



Total Cannabinoids 28.15 % 281.5 mg/g



Pesticides PASS **PASS**

Total THC

23.07 %



Total CBD 0.07612 % 0.7612 mg/g



Total Terpenes 1.065 %



Heavy Metals 11.3 % **PASS**







Mycotoxins Foreign Matter Water Activity **PASS**

Total Cannabinoids: 28.15 % - 281.5 mg/g **Cannabinoids Avg** Date Completed: 11/04/2024 10:45AM Total THC: 23.07 % - 230.7 mg/g

	Total CE	BD: 0.076 1	12 % - 0.7	7612 mg/g	
Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa	23978-85-0	0.001000	26.14	261.4	
CBGa	25555-57-1	0.001000	1.615	16.15	
d9-THC	1972-08-3	0.001000	0.1492	1.492	ı
CBG	25654-31-3	0.001000	0.1353	1.353	
CBDa	1244-58-2	0.001000	0.08680	0.8680	1
THCV	31262-37-0	0.001000	0.01833	0.1833	
CBDV	24274-48-4	0.001000	ND	ND	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007

Kelly N Grander

Dr. Kelly Greenland, Lab Director



3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358

Certificate of Analysis



License #: OCM-PROC-24-000024

Sample #: 6816 **Punch Runtz 8th**

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
CBD	13956-29-1	0.001000	ND	ND	
CBN	521-35-7	0.001000	ND	ND	
d8-THC	5957-75-5	0.001000	ND	ND	
d10/R9-THC	95543-62-7	0.001000	ND	ND	
d10/S9-THC	95588-87-7	0.001000	ND	ND	
CBC	20675-51-8	0.001000	ND	ND	

stated all QC passed.

Terpenes by HS-GC-MS	by HS-GC-MS Limonene Pinene			Date Completed: 11/04/2024		
Compound	CAS#	LOQ (%)	%	Relative Concentration		
Beta-caryophyllene	87-44-5	0.1000	0.4203			
Limonene	5989-27-5	0.1000	0.3951			
Alpha-pinene	80-56-8	0.1000	0.1480			
Alpha-humulene	6753-98-6	0.1000	0.1019			
Beta-myrcene	123-35-3	0.1000	ND			
Linalool	78-70-6	0.1000	ND			
Beta-pinene	127-91-3	0.1000	ND			
Terpinolene	586-62-9	0.1000	ND			
Ocimene	13877-91-3	0.1000	ND			

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007

Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 2 of 8

3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358 **Certificate of Analysis**

Fina



License #: OCM-PROC-24-000024

Sample #: 6816 Punch Runtz 8th

Compound	CAS#	LOQ (%)	%	Relative Concentration	
Alpha-bisabolol	515-69-5	0.1000	ND		
Caryophyllene-oxide	1139-30-6	0.1000	ND		
Geraniol	106-24-1	0.1000	ND		
Camphene	79-92-5	0.1000	ND		
Guaiol	489-86-1	0.1000	ND		
Alpha-terpinene	99-86-5	0.1000	ND		
Terpineol	8006-39-1	0.1000	ND		
Fenchol	14575-74-7	0.1000	ND		
Valencene	4630-07-3	0.1000	ND		
Alpha-phellandrene	99-83-2	0.1000	ND		
Farnesene	502-61-4	0.1000	ND		

F	preign Matter by Microscopy	Pass	i	Analysis Date	Analysis Date: 11/04/2024 5:55 pm		
	Compound	LOQ (%)	Limits (%)	Result (%)	Status		
	% Foreign Matter	0.00100	2.0	ND	Pass		
	Mammalian Exreta	0.00100	0.03	ND	Pass		
	Stems	0.00100	5.0	ND	Pass		
Co	mment: Physical chemistry was tested using moisture analyzer,	water activity meter using P-NY 16	0. Unless otherwise stated, all QC passed	i.			

Moisture LWG	Pass	3	Analysis Date: 11/04/2024 5:52 pm		
Compound	LOQ (%)	Limits (%)	Result (%)	Status	
Moisture	1.2	5 - 15	11.3	Pass	
Comment: Physical chemistry was tested using moisture analyze	er, water activity meter using P-NY 16	60. Unless otherwise stated, all QC passed	l.		

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N. Gree L. O

Dr. Kelly Greenland, Lab Director



Page 3 of 8

3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358

License #: OCM-PROC-24-000024



Final



Sample #: 6816 Punch Runtz 8th

Water Activity		Pass	3	Analysis Date: 11/04/2024 5:52 pm		
Co	ompound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status	
W	ater Activity	0.05	0.65	0.48	Pass	
Comme	nt: Physical chemistry was tested using moisture analyzer, was	ter activity meter using P-NY 16	60. Unless otherwise stated, all QC passed			

esticides by LCMSMS	Pass	,	Analysis Date	: 11/05/2024 6:09 p
Compound	LOQ (µg/g)	Limits (µg/g)	Result (μg/g)	Status
Abamectin	0.0100	0.500	ND	Pass
Acephate	0.0100	0.400	ND	Pass
Acequinocyl	0.0100	2.00	ND	Pass
Acetamiprid	0.0100	0.200	ND	Pass
Aldicarb	0.0100	0.400	ND	Pass
Azadirachtin	0.0100	1.00	ND	Pass
Azoxystrobin	0.0100	0.200	ND	Pass
Bifenazate	0.0100	0.200	ND	Pass
Bifenthrin	0.0100	0.200	ND	Pass
Boscalid	0.0100	0.400	ND	Pass
Captan	0.0100	1.00	ND	Pass
Carbaryl	0.0100	0.200	ND	Pass
Carbofuran	0.0100	0.200	ND	Pass
Chlorantraniliprole	0.0100	0.200	ND	Pass
Chlordane-alpha	0.0100	1.00	ND	Pass
Chlorfenapyr	0.0100	1.00	ND	Pass
Chlormequat Chloride	0.0100	1.00	ND	Pass
Chlorpyrifos	0.0100	0.200	ND	Pass
Clofentezine	0.0100	0.200	ND	Pass
Coumaphos	0.0100	1.00	ND	Pass
Cyfluthrin	0.0100	1.00	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 4 of 8

3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358

License #: OCM-PROC-24-000024

Bluff Point, NY 14478

Certificate of Analysis

Sample #: 6816 Punch Runtz 8th

sticides by LCMSMS	Pass	;	Analysis Date: 11/05/2024 6:09		
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status	
Cypermethrin	0.0100	1.00	ND	Pass	
Daminozide	0.0100	1.00	ND	Pass	
Diazinon	0.0100	0.200	ND	Pass	
Dichlorvos	0.0100	1.00	ND	Pass	
Dimethoate	0.0100	0.200	ND	Pass	
Dimethomorph	0.0100	1.00	ND	Pass	
Ethoprophos	0.0100	0.200	ND	Pass	
Etofenprox	0.0100	0.400	ND	Pass	
Etoxazole	0.0100	0.200	ND	Pass	
Fenhexamid	0.0100	1.00	ND	Pass	
Fenoxycarb	0.0100	0.200	ND	Pass	
Fenpyroximate	0.0100	0.400	ND	Pass	
Fipronil	0.0100	0.400	ND	Pass	
Flonicamid	0.0100	1.00	ND	Pass	
Fludioxonil	0.0100	0.400	ND	Pass	
Hexythiazox	0.0100	1.00	ND	Pass	
lmazalil	0.0100	0.200	ND	Pass	
Imidacloprid	0.0100	0.400	ND	Pass	
Indolebutyric Acid	0.0100	1.00	ND	Pass	
Kresoxim-methyl	0.0100	0.400	ND	Pass	
Malathion	0.0100	0.200	ND	Pass	
Metalaxyl	0.0100	0.200	ND	Pass	
Methiocarb	0.0100	0.200	ND	Pass	
Methomyl	0.0100	0.400	ND	Pass	
Methyl Parathion	0.0100	0.200	ND	Pass	
Mevinphos	0.0100	1.00	ND	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela

Dr. Kelly Greenland, Lab Director



3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358 **Certificate of Analysis**

Fina



License #: OCM-PROC-24-000024

Sample #: 6816 Punch Runtz 8th

esticides by LCMSMS	Pass		Analysis Date	e: 11/05/2024 6:09
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
MGK-264	0.0100	0.200	ND	Pass
Myclobutanil	0.0100	0.200	ND	Pass
Naled	0.0100	0.500	ND	Pass
Oxamyl	0.0100	1.00	ND	Pass
Paclobutrazol	0.0100	0.400	ND	Pass
Pentachloronitrobenzene	0.0100	1.00	ND	Pass
Permethrins, Total	0.0100	0.200	ND	Pass
Phosmet	0.0100	0.200	ND	Pass
Piperonyl Butoxide	0.0100	2.00	ND	Pass
Prallethrin	0.0100	0.200	ND	Pass
Propiconazole	0.0100	0.400	ND	Pass
Propoxur	0.0100	0.200	ND	Pass
Pyrethrins Total	0.0100	1.00	ND	Pass
Pyridaben	0.0100	0.200	ND	Pass
Spinetoram Total	0.0100	1.00	ND	Pass
Spinosad Total	0.0100	0.200	ND	Pass
Spiromesifen	0.0100	0.200	ND	Pass
Spirotetramat	0.0100	0.200	ND	Pass
Spiroxamine	0.0100	0.200	ND	Pass
Tebuconazole	0.0100	0.400	ND	Pass
Thiacloprid	0.0100	0.200	ND	Pass
Thiamethoxam	0.0100	0.200	ND	Pass
Trifloxystrobin	0.0100	0.200	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 6 of 8

3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358

License #: OCM-PROC-24-000024

Certificate of Analysis

Fina



Sample #: 6816 Punch Runtz 8th

Mycotoxins by LCMSMS	Pass	3	Analysis Date: 11/05/2024 6:09 p	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Aflatoxin B1	0.0050	0.020	ND	Pass
Aflatoxin B2	0.0050	0.020	ND	Pass
Aflatoxin G1	0.0050	0.020	ND	Pass
Aflatoxin G2	0.0050	0.020	ND	Pass
Ochratoxin A	0.0050	0.020	ND	Pass
Total Aflatoxin	0.0050	0.020	ND	Pass
Comment: Mycotoxin contamination tested by LCMSMS using P-NY	125. Unless otherwise stated, all	QC passed.		

eavy Metals by ICPMS	Pass	3	Analysis Date: 11/05/2024 10:29 an		
Compound	LOQ (µg/g)	Limits (µg/g)	Result (μg/g)	Status	
Antimony	0.0100	2.00	ND	Pass	
Arsenic	0.00100	0.200	ND	Pass	
Cadmium	0.00150	0.200	0.155	Pass	
Chromium	0.280	110	0.359	Pass	
Copper	0.0750	30.0	8.59	Pass	
Lead	0.00250	0.500	0.0494	Pass	
Mercury	0.000500	0.100	0.00335	Pass	
Nickel	0.0100	5.00	0.573	Pass	

Micro by Petri & qPCR		Pass		Analysis Date: 11/05/2024 9:43 am	
	Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
	Aspergillus flavus Qualitative	1	0	Not Detected	Pass
	Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass
	Aspergillus niger Qualitative	1	0	Not Detected	Pass
	Aspergillus terreus Qualitative	1	0	Not Detected	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007



Dr. Kelly Greenland, Lab Director



Page 7 of 8

3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358 **Certificate of Analysis**

Final



License #: OCM-PROC-24-000024

Sample #: 6816 Punch Runtz 8th

Micro by Petri & qPCR		Pass		Analysis Date: 11/05/2024 9:43 am			
	Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status		
	Salmonella Qualitative	1	0	Not Detected	Pass		
	Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass		
	Total Aerobic Bacteria	10		3000	Pass		
	Total Yeast & Mold	10		29000	Pass		
Co	, , , , , , , , , , , , , , , , , , , ,	Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". "Passed" for an adult-use product implies the results contain less than 1,000,000 cfu/g.					

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N. Guela

Dr. Kelly Greenland, Lab Director



Page 8 of 8 Report Date: 11/12/2024 6:15:51PN