101 Eastern Blvd, Canandaigua, NY Info@sunwalkerfarms.com 5854126363 License #: OCM-MICR-24-000012

Certificate of Analysis


Final



Date Released: 5/28/2025 2:46:26PM Report #: 60596 Honey Banana 1g PR Total THC **Total Cannabinoids** Total CBD **Total Terpenes** Moisture **Heavy Metals** 0.09964 % 30.36 % 25.82 % 1.179 % 12.3 % PASS Sample #: 15408, Weight: 20.00g, Unit Count: 303.6 mg/g 258.2 mg/g 0.9964 mg/g Order #: X250521-0035 Category/Type: Plant, Preroll Date Collected: 5/21/2025 9:49:16AM \bigcirc Date Received: 5/21/2025 11:59:19PM Microbials Mycotoxins Water Activity Pesticides Date Sampled: 5/21/2025 11:59:19PM PASS PASS PASS PASS Regulator Sample ID: HB1 Regulator Source Package ID: HB1

Regulator Batch ID: HB1

Size: 10000Units, Unit Count:



LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



1809 Vestal Pkwy E Vestal, NY 13850 (607)301-0884

Keystone State Testing of New York

InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Keeg N Guald Dr. Kelly Greenland, Lab Director



101 Eastern Blvd, Canandaigua, NY Info@sunwalkerfarms.com 5854126363 License #: OCM-MICR-24-000012

Certificate of Analysis

Final




| Sample #: 15408 | | | | | | Honey Banana 1g PR |
|-----------------|------------|------------|----|------|------------------------|--------------------|
| Compound | CAS# | LOQ (%) | % | mg/g | Relative Concentration | |
| CBD | 13956-29-1 | 0.001000 | ND | ND | | |
| CBN | 521-35-7 | 0.001000 | ND | ND | | |
| d8-THC | 5957-75-5 | 0.001000 | ND | ND | | |
| d10/R9-THC | 95543-62-7 | 0.001000 | ND | ND | | |
| d10/S9-THC | 95588-87-7 | 0.001000 | ND | ND | | |
| CBC | 20675-51-8 | 0.001000 | ND | ND | | |

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

| Terpenes by HS-GC-MS | c | ryophyllene | +3- Humulene | Date Completed: 05/27/2025 4:33PM |
|-----------------------------|-----------|-------------|-----------------|-----------------------------------|
| Compound | CAS# | LOQ (%) | % | Relative Concentration |
| Beta-caryophyllene | 87-44-5 | 0.1000 | 0.6569 | |
| Farnesene | 502-61-4 | 0.1000 | 0.2819 | |
| Alpha-humulene | 6753-98-6 | 0.1000 | 0.2406 | |
| Results based on dry weight | | | | |
| Beta-myrcene | 123-35-3 | 0.1000 | ND | |
| Limonene | 5989-27-5 | 0.1000 | ND | |
| Alpha-pinene | 80-56-8 | 0.1000 | ND | |
| Linalool | 78-70-6 | 0.1000 | ND | |
| Beta-pinene | 127-91-3 | 0.1000 | ND | |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty. If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E Vestal, NY 13850 (607)301-0884

InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Keeg N Guela Dr. Kelly Greenland, Lab Director



101 Eastern Blvd, Canandaigua, NY Info@sunwalkerfarms.com 5854126363 License #: OCM-MICR-24-000012

Certificate of Analysis

Final



Honey Banana 1g PR

Sample #: 15408

| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|---------------------|------------|------------|----|------------------------|
| Terpinolene | 586-62-9 | 0.1000 | ND | |
| Ocimene | 13877-91-3 | 0.1000 | ND | |
| Alpha-bisabolol | 515-69-5 | 0.1000 | ND | |
| Caryophyllene-oxide | 1139-30-6 | 0.1000 | ND | |
| Geraniol | 106-24-1 | 0.1000 | ND | |
| Camphene | 79-92-5 | 0.1000 | ND | |
| Guaiol | 489-86-1 | 0.1000 | ND | |
| Alpha-terpinene | 99-86-5 | 0.1000 | ND | |
| Terpineol | 8006-39-1 | 0.1000 | ND | |
| Fenchol | 14575-74-7 | 0.1000 | ND | |
| Valencene | 4630-07-3 | 0.1000 | ND | |
| | 99-83-2 | 0.1000 | ND | |

- -.

| Moisture LWG | | Pass | 5 | Analysis Date | e: 05/27/2025 4:48 pm |
|--------------|---|--|--|---------------|-----------------------|
| Comp | bound | LOQ (%) | Limits (%) | Result (%) | Status |
| Moist | ure | 1.2 | 0 - 15 | 12.3 | Pass |
| Comment: | Physical chemistry was tested using moisture analyz | er, water activity meter using P-NY 16 | 60. Unless otherwise stated, all QC passed | 1. | |

| Water Activity | Pass | Pass | | Analysis Date: 05/27/2025 4:49 pm | | |
|--|----------|-------------|-------------|-----------------------------------|--|--|
| Compound | LOQ (Aw) | Limits (Aw) | Result (Aw) | Status | | |
| Water Activity | 0.05 | 0.65 | 0.57 | Pass | | |
| Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed. | | | | | | |

| Ρ | esticides by LCMSMS | les by LCMSMS Pass | | Analysis Date: | 05/23/2025 5:53 pm |
|---|---------------------|--------------------|---------------|----------------|--------------------|
| | Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
| | Abamectin | 0.0100 | 0.500 | ND | Pass |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007

Kelly N Guela Dr. Kelly Greenland, Lab Director



101 Eastern Blvd, Canandaigua, NY Info@sunwalkerfarms.com 5854126363 License #: OCM-MICR-24-000012

Sample #: 15408







Honey Banana 1g PR

| sticides by LCMSMS | Pass | • | Analysis Date: 05/23/2025 | | |
|----------------------|------------|---------------|---------------------------|--------|--|
| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status | |
| Acephate | 0.0100 | 0.400 | ND | Pass | |
| Acequinocyl | 0.0100 | 2.00 | ND | Pass | |
| Acetamiprid | 0.0100 | 0.200 | ND | Pass | |
| Aldicarb | 0.0100 | 0.400 | ND | Pass | |
| Azadirachtin | 0.0100 | 1.00 | ND | Pass | |
| Azoxystrobin | 0.0100 | 0.200 | ND | Pass | |
| Bifenazate | 0.0100 | 0.200 | ND | Pass | |
| Bifenthrin | 0.0100 | 0.200 | ND | Pass | |
| Boscalid | 0.0100 | 0.400 | ND | Pass | |
| Captan | 0.0100 | 1.00 | ND | Pass | |
| Carbaryl | 0.0100 | 0.200 | ND | Pass | |
| Carbofuran | 0.0100 | 0.200 | ND | Pass | |
| Chlorantraniliprole | 0.0100 | 0.200 | ND | Pass | |
| Chlordane-alpha | 0.0100 | 1.00 | ND | Pass | |
| Chlorfenapyr | 0.0100 | 1.00 | ND | Pass | |
| Chlormequat Chloride | 0.0100 | 1.00 | ND | Pass | |
| Chlorpyrifos | 0.0100 | 0.200 | ND | Pass | |
| Clofentezine | 0.0100 | 0.200 | ND | Pass | |
| Coumaphos | 0.0100 | 1.00 | ND | Pass | |
| Cyfluthrin | 0.0100 | 1.00 | ND | Pass | |
| Cypermethrin | 0.0100 | 1.00 | ND | Pass | |
| Daminozide | 0.0100 | 1.00 | ND | Pass | |
| Diazinon | 0.0100 | 0.200 | ND | Pass | |
| Dichlorvos | 0.0100 | 1.00 | ND | Pass | |
| Dimethoate | 0.0100 | 0.200 | ND | Pass | |
| Dimethomorph | 0.0100 | 1.00 | ND | Pass | |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com

Permit #: OCM-CPL-00007

Keeg N Gunda Dr. Kelly Greenland, Lab Director



101 Eastern Blvd, Canandaigua, NY Info@sunwalkerfarms.com 5854126363 License #: OCM-MICR-24-000012

Certificate of Analysis

Final



Sample #: 15408

| Honey | Banana | 1g | PR |
|-------|--------|----|----|

| sticides by LCMSMS | Pass | 5 | Analysis Date | e: 05/23/2025 5:53 p |
|-------------------------|------------|---------------|---------------|----------------------|
| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
| Ethoprophos | 0.0100 | 0.200 | ND | Pass |
| Etofenprox | 0.0100 | 0.400 | ND | Pass |
| Etoxazole | 0.0100 | 0.200 | ND | Pass |
| Fenhexamid | 0.0100 | 1.00 | ND | Pass |
| Fenoxycarb | 0.0100 | 0.200 | ND | Pass |
| Fenpyroximate | 0.0100 | 0.400 | ND | Pass |
| Fipronil | 0.0100 | 0.400 | ND | Pass |
| Flonicamid | 0.0100 | 1.00 | ND | Pass |
| Fludioxonil | 0.0100 | 0.400 | ND | Pass |
| Hexythiazox | 0.0100 | 1.00 | ND | Pass |
| Imazalil | 0.0100 | 0.200 | ND | Pass |
| Imidacloprid | 0.0100 | 0.400 | ND | Pass |
| Indolebutyric Acid | 0.0100 | 1.00 | ND | Pass |
| Kresoxim-methyl | 0.0100 | 0.400 | ND | Pass |
| Malathion | 0.0100 | 0.200 | ND | Pass |
| Metalaxyl | 0.0100 | 0.200 | ND | Pass |
| Methiocarb | 0.0100 | 0.200 | ND | Pass |
| Methomyl | 0.0100 | 0.400 | ND | Pass |
| Methyl Parathion | 0.0100 | 0.200 | ND | Pass |
| Mevinphos | 0.0100 | 1.00 | ND | Pass |
| MGK-264 | 0.0100 | 0.200 | ND | Pass |
| Myclobutanil | 0.0100 | 0.200 | ND | Pass |
| Naled | 0.0100 | 0.500 | ND | Pass |
| Oxamyl | 0.0100 | 1.00 | ND | Pass |
| Paclobutrazol | 0.0100 | 0.400 | ND | Pass |
| Pentachloronitrobenzene | 0.0100 | 1.00 | ND | Pass |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E Vestal, NY 13850 (607)301-0884

InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly Greenland, Lab Director



101 Eastern Blvd, Canandaigua, NY Info@sunwalkerfarms.com 5854126363 License #: OCM-MICR-24-000012

Certificate of Analysis

Final



Sample #: 15408

| Honev | Banana | 1a | PR |
|-------|--------|----|----|

| sticides by LCMSMS | Pass | ; | Analysis Date: 05/23/2025 5:53 p | |
|--------------------|------------|---------------|----------------------------------|--------|
| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
| Permethrins, Total | 0.0100 | 0.200 | ND | Pass |
| Phosmet | 0.0100 | 0.200 | ND | Pass |
| Piperonyl Butoxide | 0.0100 | 2.00 | ND | Pass |
| Prallethrin | 0.0100 | 0.200 | ND | Pass |
| Propiconazole | 0.0100 | 0.400 | ND | Pass |
| Propoxur | 0.0100 | 0.200 | ND | Pass |
| Pyrethrins Total | 0.0100 | 1.00 | ND | Pass |
| Pyridaben | 0.0100 | 0.200 | ND | Pass |
| Spinetoram Total | 0.0100 | 1.00 | ND | Pass |
| Spinosad Total | 0.0100 | 0.200 | ND | Pass |
| Spiromesifen | 0.0100 | 0.200 | ND | Pass |
| Spirotetramat | 0.0100 | 0.200 | ND | Pass |
| Spiroxamine | 0.0100 | 0.200 | ND | Pass |
| Tebuconazole | 0.0100 | 0.400 | ND | Pass |
| Thiacloprid | 0.0100 | 0.200 | ND | Pass |
| Thiamethoxam | 0.0100 | 0.200 | ND | Pass |
| Trifloxystrobin | 0.0100 | 0.200 | ND | Pass |

| Mycotoxins by LCMSMS | Pass | Pass | | e: 05/23/2025 5:52 pm |
|----------------------|------------|---------------|---------------|-----------------------|
| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
| Aflatoxin B1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.0050 | 0.020 | ND | Pass |
| Ochratoxin A | 0.0050 | 0.020 | ND | Pass |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E Vestal, NY 13850 (607)301-0884

InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Keeg, N. Guala Dr. Kelly Greenland, Lab Director



101 Eastern Blvd, Canandaigua, NY Info@sunwalkerfarms.com 5854126363 License #: OCM-MICR-24-000012

Certificate of Analysis

Final



Honey Banana 1g PR

Sample #: 15408

| Pass | | Analysis Date: 05/23/2025 5:52 pm | |
|---------------|---------------|-----------------------------------|--|
| Limits (µg/g) | Result (µg/g) | Status | |
| 0.020 | ND | Pass | |
| | | Limits (μg/g) Result (μg/g) | |

| leavy Metals by ICPMS | Pass | | Analysis Date: 05/23/2025 5:04 pm | |
|-----------------------|------------|---------------|-----------------------------------|--------|
| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
| Antimony | 0.0100 | 2.00 | ND | Pass |
| Arsenic | 0.00100 | 0.200 | 0.0163 | Pass |
| Cadmium | 0.00150 | 0.200 | 0.0105 | Pass |
| Chromium | 0.280 | 110 | 0.468 | Pass |
| Copper | 0.0750 | 30.0 | 3.07 | Pass |
| Lead | 0.00250 | 0.500 | 0.0107 | Pass |
| Mercury | 0.000500 | 0.100 | 0.00170 | Pass |
| Nickel | 0.0100 | 5.00 | 0.187 | Pass |

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

| Pass | | Analysis Date: 05/27/2025 3:46 pm | |
|-------------|---|--|---|
| LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
| 1 | 0 | Not Detected | Pass |
| 1 | 0 | Not Detected | Pass |
| 1 | 0 | Not Detected | Pass |
| 1 | 0 | Not Detected | Pass |
| 1 | 0 | Not Detected | Pass |
| 1 | 0 | Not Detected | Pass |
| 10 | | 7000 | Pass |
| 10 | | 6000 | Pass |
| | LOQ (CFU/g) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | LOQ (CFU/g) Limits (CFU/g) 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 | LOQ (CFU/g)Limits (CFU/g)Result (CFU/g)10Not Detected10Not Detected107000 |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E Vestal, NY 13850

(607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007

Kelly N Guela Dr. Kelly Greenland, Lab Director



Certificate of Analysis

Final



Sample #: 15408

Honey Banana 1g PR

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". "Passed" for an adult-use product implies the results contain less than 1,000,000 cfu/g.

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty. If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Keer N Guele D

