178 Michigan Hollow Rd Spencer, NY, 14883 Nightowlfarmllc@gmail.com 607-279-9973

License #: OCM-CULT-24-000138

Certificate of Analysis



Date Released: 12/3/2024 12:02:24AM

Report #: 32976

Picasso Moon

Sample #: 7746, Weight: 45.50g, Unit Count:

Order #: X241121-0067

Category/Type: Plant, Flower - Cured Date Collected: 11/21/2024 5:48:00PM Date Received: 11/22/2024 2:50:58PM Date Sampled: 11/21/2024 4:24:00PM


Regulator Sample ID: FL0020

Regulator Source Package ID: FL0020

Regulator Batch ID: FL0020 Size: 1800Units, Unit Count:









Total THC

25.79 %



Total CBD 0.1283 % 1.283 mg/g



Total Terpenes 3.031 %



13.4 %



Heavy Metals PASS



Mycotoxins PASS



| Foreign Matter | Water Activit |
|----------------|---------------|
| PASS | PASS |

| Total THC: 25.79 % - 257.9 mg/g | | | Total Cannabinoids: 30.68 % - 306.8 mg/g Total THC: 25.79 % - 257.9 mg/g Total CBD: 0.1283 % - 1.283 mg/g | | | Date Completed: 11/26/2024 | 10:48AM |
|---------------------------------|------------|------------|---|--------|------------------------|----------------------------|---------|
| Compound | CAS# | LOQ (%) | % | mg/g | Relative Concentration | | |
| THCa | 23978-85-0 | 0.001000 | 26.52 | 265.2 | | | |
| d9-THC | 1972-08-3 | 0.001000 | 2.535 | 25.35 | _ | | |
| CBGa | 25555-57-1 | 0.001000 | 1.232 | 12.32 | - | | |
| CBDa | 1244-58-2 | 0.001000 | 0.1463 | 1.463 | 1 | | |
| CBG | 25654-31-3 | 0.001000 | 0.1167 | 1.167 | I | | |
| d10/S9-THC | 95588-87-7 | 0.001000 | 0.06693 | 0.6693 | I | | |
| CBC | 20675-51-8 | 0.001000 | 0.06106 | 0.6106 | 1 | | |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007

Kelly N Grander



178 Michigan Hollow Rd Spencer, NY, 14883 Nightowlfarmllc@gmail.com 607-279-9973

License #: OCM-CULT-24-000138






Sample #: 7746 Picasso Moon

| Compound | CAS# | LOQ (%) | % | mg/g | Relative Concentration |
|------------|------------|------------|----|------|------------------------|
| CBDV | 24274-48-4 | 0.001000 | ND | ND | |
| THCV | 31262-37-0 | 0.001000 | ND | ND | |
| CBD | 13956-29-1 | 0.001000 | ND | ND | |
| CBN | 521-35-7 | 0.001000 | ND | ND | |
| d8-THC | 5957-75-5 | 0.001000 | ND | ND | |
| d10/R9-THC | 95543-62-7 | 0.001000 | ND | ND | |

stated all QC passed.



LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007

Kelly N Guela



178 Michigan Hollow Rd Spencer, NY, 14883 Nightowlfarmllc@gmail.com 607-279-9973

607-279-9973 License #: OCM-CULT-24-000138

Certificate of Analysis

Final



Sample #: 7746 Picasso Moon

| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|---------------------|------------|------------|----|------------------------|
| Terpinolene | 586-62-9 | 0.1000 | ND | |
| Ocimene | 13877-91-3 | 0.1000 | ND | |
| Alpha-bisabolol | 515-69-5 | 0.1000 | ND | |
| Caryophyllene-oxide | 1139-30-6 | 0.1000 | ND | |
| Geraniol | 106-24-1 | 0.1000 | ND | |
| Camphene | 79-92-5 | 0.1000 | ND | |
| Guaiol | 489-86-1 | 0.1000 | ND | |
| Alpha-terpinene | 99-86-5 | 0.1000 | ND | |
| Terpineol | 8006-39-1 | 0.1000 | ND | |
| Fenchol | 14575-74-7 | 0.1000 | ND | |
| Alpha-phellandrene | 99-83-2 | 0.1000 | ND | |

| Foreign Matter by Microscopy | | Pass | | Analysis Date: 11/26/2024 10:51 am | | |
|--|--|---------|------------|------------------------------------|--------|--|
| Compound | | LOQ (%) | Limits (%) | Result (%) | Status | |
| % Foreign Matter | | 0.00100 | 2.0 | ND | Pass | |
| Mammalian Exreta | | 0.00100 | 0.03 | ND | Pass | |
| Stems | | 0.00100 | 5.0 | ND | Pass | |
| Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed. | | | | | | |

| Mc | pisture LWG | Pass | • | Analysis Date: 11/26/2024 10:52 an | | | | |
|-----|--|---------|------------|------------------------------------|--------|--|--|--|
| | Compound | LOQ (%) | Limits (%) | Result (%) | Status | | | |
| | Moisture | 1.2 | 5 - 15 | 13.4 | Pass | | | |
| Cor | Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed. | | | | | | | |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N. Gree La

Dr. Kelly Greenland, Lab Director



Page 3 of 8

178 Michigan Hollow Rd Spencer, NY, 14883 Nightowlfarmllc@gmail.com 607-279-9973

License #: OCM-CULT-24-000138

Certificate of Analysis

Final



Sample #: 7746 Picasso Moon

| W | Vater Activity Pass | | 5 | Analysis Date: 11/26/2024 10:53 | | | |
|----|--|----------|-------------|---------------------------------|--------|--|--|
| | Compound | LOQ (Aw) | Limits (Aw) | Result (Aw) | Status | | |
| | Water Activity | 0.05 | 0.65 | 0.54 | Pass | | |
| Co | Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed. | | | | | | |

| esticides by LCMSMS | Pass | } | Analysis Date | Pate: 12/02/2024 6:59 |
|----------------------|------------|---------------|---------------|-----------------------|
| Compound | LOQ (μg/g) | Limits (µg/g) | Result (μg/g) | Status |
| Abamectin | 0.0100 | 0.500 | ND | Pass |
| Acephate | 0.0100 | 0.400 | ND | Pass |
| Acequinocyl | 0.0100 | 2.00 | ND | Pass |
| Acetamiprid | 0.0100 | 0.200 | ND | Pass |
| Aldicarb | 0.0100 | 0.400 | ND | Pass |
| Azadirachtin | 0.0100 | 1.00 | ND | Pass |
| Azoxystrobin | 0.0100 | 0.200 | ND | Pass |
| Bifenazate | 0.0100 | 0.200 | ND | Pass |
| Bifenthrin | 0.0100 | 0.200 | ND | Pass |
| Boscalid | 0.0100 | 0.400 | ND | Pass |
| Captan | 0.0100 | 1.00 | ND | Pass |
| Carbaryl | 0.0100 | 0.200 | ND | Pass |
| Carbofuran | 0.0100 | 0.200 | ND | Pass |
| Chlorantraniliprole | 0.0100 | 0.200 | ND | Pass |
| Chlordane-alpha | 0.0100 | 1.00 | ND | Pass |
| Chlorfenapyr | 0.0100 | 1.00 | ND | Pass |
| Chlormequat Chloride | 0.0100 | 1.00 | ND | Pass |
| Chlorpyrifos | 0.0100 | 0.200 | ND | Pass |
| Clofentezine | 0.0100 | 0.200 | ND | Pass |
| Coumaphos | 0.0100 | 1.00 | ND | Pass |
| Cyfluthrin | 0.0100 | 1.00 | ND | Pass |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 4 of 8

178 Michigan Hollow Rd Spencer, NY, 14883 Nightowlfarmllc@gmail.com 607-279-9973

License #: OCM-CULT-24-000138

Certificate of Analysis

Final



Sample #: 7746 Picasso Moon

| sticides by LCMSMS | Pass | , | Analysis Date | e: 12/02/2024 6:59 |
|--------------------|------------|---------------|---------------|--------------------|
| Compound | LOQ (μg/g) | Limits (µg/g) | Result (μg/g) | Status |
| Cypermethrin | 0.0100 | 1.00 | ND | Pass |
| Daminozide | 0.0100 | 1.00 | ND | Pass |
| Diazinon | 0.0100 | 0.200 | ND | Pass |
| Dichlorvos | 0.0100 | 1.00 | ND | Pass |
| Dimethoate | 0.0100 | 0.200 | ND | Pass |
| Dimethomorph | 0.0100 | 1.00 | ND | Pass |
| Ethoprophos | 0.0100 | 0.200 | ND | Pass |
| Etofenprox | 0.0100 | 0.400 | ND | Pass |
| Etoxazole | 0.0100 | 0.200 | ND | Pass |
| Fenhexamid | 0.0100 | 1.00 | ND | Pass |
| Fenoxycarb | 0.0100 | 0.200 | ND | Pass |
| Fenpyroximate | 0.0100 | 0.400 | ND | Pass |
| Fipronil | 0.0100 | 0.400 | ND | Pass |
| Flonicamid | 0.0100 | 1.00 | ND | Pass |
| Fludioxonil | 0.0100 | 0.400 | ND | Pass |
| Hexythiazox | 0.0100 | 1.00 | ND | Pass |
| lmazalil | 0.0100 | 0.200 | ND | Pass |
| Imidacloprid | 0.0100 | 0.400 | ND | Pass |
| Indolebutyric Acid | 0.0100 | 1.00 | ND | Pass |
| Kresoxim-methyl | 0.0100 | 0.400 | ND | Pass |
| Malathion | 0.0100 | 0.200 | ND | Pass |
| Metalaxyl | 0.0100 | 0.200 | ND | Pass |
| Methiocarb | 0.0100 | 0.200 | ND | Pass |
| Methomyl | 0.0100 | 0.400 | ND | Pass |
| Methyl Parathion | 0.0100 | 0.200 | ND | Pass |
| Mevinphos | 0.0100 | 1.00 | ND | Pass |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela



178 Michigan Hollow Rd Spencer, NY, 14883 Nightowlfarmllc@gmail.com 607-279-9973

License #: OCM-CULT-24-000138

Certificate of Analysis

Fina



Sample #: 7746 Picasso Moon

| sticides by LCMSMS | Pass | • | Analysis Date | e: 12/02/2024 6:59 |
|-------------------------|------------|---------------|---------------|--------------------|
| Compound | LOQ (μg/g) | Limits (μg/g) | Result (μg/g) | Status |
| MGK-264 | 0.0100 | 0.200 | ND | Pass |
| Myclobutanil | 0.0100 | 0.200 | ND | Pass |
| Naled | 0.0100 | 0.500 | ND | Pass |
| Oxamyl | 0.0100 | 1.00 | ND | Pass |
| Paclobutrazol | 0.0100 | 0.400 | ND | Pass |
| Pentachloronitrobenzene | 0.0100 | 1.00 | ND | Pass |
| Permethrins, Total | 0.0100 | 0.200 | ND | Pass |
| Phosmet | 0.0100 | 0.200 | ND | Pass |
| Piperonyl Butoxide | 0.0100 | 2.00 | ND | Pass |
| Prallethrin | 0.0100 | 0.200 | ND | Pass |
| Propiconazole | 0.0100 | 0.400 | ND | Pass |
| Propoxur | 0.0100 | 0.200 | ND | Pass |
| Pyrethrins Total | 0.0100 | 1.00 | ND | Pass |
| Pyridaben | 0.0100 | 0.200 | ND | Pass |
| Spinetoram Total | 0.0100 | 1.00 | ND | Pass |
| Spinosad Total | 0.0100 | 0.200 | ND | Pass |
| Spiromesifen | 0.0100 | 0.200 | ND | Pass |
| Spirotetramat | 0.0100 | 0.200 | ND | Pass |
| Spiroxamine | 0.0100 | 0.200 | ND | Pass |
| Tebuconazole | 0.0100 | 0.400 | ND | Pass |
| Thiacloprid | 0.0100 | 0.200 | ND | Pass |
| Thiamethoxam | 0.0100 | 0.200 | ND | Pass |
| Trifloxystrobin | 0.0100 | 0.200 | ND | Pass |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007





178 Michigan Hollow Rd Spencer, NY, 14883 Nightowlfarmllc@gmail.com 607-279-9973

License #: OCM-CULT-24-000138

Certificate of Analysis

Final



Sample #: 7746 Picasso Moon

| Mycotoxins by LCMSMS | Pass | i | Analysis Date: 12/02/2024 6:59 pm | | |
|---|----------------------------------|---------------|--|--------|--|
| Compound | LOQ (µg/g) | Limits (μg/g) | Result (μg/g) | Status | |
| Aflatoxin B1 | 0.0050 | 0.020 | ND | Pass | |
| Aflatoxin B2 | 0.0050 | 0.020 | ND | Pass | |
| Aflatoxin G1 | 0.0050 | 0.020 | ND | Pass | |
| Aflatoxin G2 | 0.0050 | 0.020 | ND | Pass | |
| Ochratoxin A | 0.0050 | 0.020 | ND | Pass | |
| Total Aflatoxin | 0.0050 | 0.020 | ND | Pass | |
| Comment: Mycotoxin contamination tested by LCMSMS using P-NY1 | 25. Unless otherwise stated, all | QC passed. | | | |

| leavy Metals by ICPMS | Pass | • | Analysis Date: 11/30/2024 10:40 ar | | |
|--|---|---------------|------------------------------------|--------|--|
| Compound | LOQ (µg/g) | Limits (µg/g) | Result (μg/g) | Status | |
| Antimony | 0.0100 | 2.00 | 0.0841 | Pass | |
| Arsenic | 0.00100 | 0.200 | ND | Pass | |
| Cadmium | 0.00150 | 0.200 | 0.00391 | Pass | |
| Chromium | 0.280 | 110 | ND | Pass | |
| Copper | 0.0750 | 30.0 | 4.74 | Pass | |
| Lead | 0.00250 | 0.500 | ND | Pass | |
| Mercury | 0.000500 | 0.100 | 0.00950 | Pass | |
| Nickel | 0.0100 | 5.00 | ND | Pass | |
| omment: Heavy Metal contamination tested by ICPMS us | ing P-NY140. Unless otherwise stated, all | QC passed. | | | |

| Micro by Petri & qPCR | | Pass | | Analysis Date: 11/26/2024 1:58 pm | |
|-----------------------|-----------------------------------|-------------|----------------|--|--------|
| | Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
| | Aspergillus flavus Qualitative | 1 | 0 | Not Detected | Pass |
| | Aspergillus fumigatus Qualitative | 1 | 0 | Not Detected | Pass |
| | Aspergillus niger Qualitative | 1 | 0 | Not Detected | Pass |
| | Aspergillus terreus Qualitative | 1 | 0 | Not Detected | Pass |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007



Dr. Kelly Greenland, Lab Director



Page 7 of 8

178 Michigan Hollow Rd Spencer, NY, 14883 Nightowlfarmllc@gmail.com 607-279-9973

License #: OCM-CULT-24-000138

Certificate of Analysis

Fina



Sample #: 7746 Picasso Moon

| Micro by Petri & qPCR | | Pass | • | Analysis Date: 11/26/2024 1:58 pm | | |
|-----------------------|---|--|----------------|-----------------------------------|--------|--|
| | Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status | |
| | Salmonella Qualitative | 1 | 0 | Not Detected | Pass | |
| | Shiga Toxin-Producing E. coli Qualitative | 1 | 0 | Not Detected | Pass | |
| | Total Aerobic Bacteria | 10 | | 211000 | Pass | |
| | Total Yeast & Mold | 10 | | 169000 | Pass | |
| Co | | Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". "Passed" for an adult-use product | | | | |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 8 of 8