178 Michigan Hollow Rd Spencer, NY, 14883 Nightowlfarmllc@gmail.com 607-279-9973

License #: OCM-CULT-24-000138

Certificate of Analysis



Date Released: 12/3/2024 12:02:23AM

Report #: 32975

D4

Sample #: 7744, Weight: 28.00g, Unit Count:

Order #: X241121-0067

Category/Type: Plant, Flower - Cured Date Collected: 11/21/2024 5:48:00PM Date Received: 11/22/2024 2:50:56PM Date Sampled: 11/21/2024 4:24:00PM

Regulator Sample ID: FL0021

Regulator Source Package ID: FL0021

Regulator Batch ID: FL0021 Size: 1200Units, Unit Count:



Total Cannabinoids 22.96 % 229.6 mg/g

Microbials

PASS





Total THC


20.06 %



Total CBD 0.07477 % 0.7477 mg/g



Total Terpenes 1.540 %



13.2 %







Date Completed: 11/26/2024 10:48AM

Mycotoxins Foreign Matter Water Activity **PASS PASS**

Cannabinoids Avg	Total Cannabinoids: 22.96 % - 229.6 mg/g
	Total THC: 20.06 % - 200.6 mg/g

		3D: 0.074 7		7477 mg/g	
Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa	23978-85-0	0.001000	19.12	191.2	
d9-THC	1972-08-3	0.001000	3.286	32.86	
CBGa	25555-57-1	0.001000	0.3396	3.396	•
CBDa	1244-58-2	0.001000	0.08526	0.8526	
CBC	20675-51-8	0.001000	0.06573	0.6573	1
CBG	25654-31-3	0.001000	0.06454	0.6454	
CBDV	24274-48-4	0.001000	ND	ND	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007

Kelly N Guela

Dr. Kelly Greenland, Lab Director



178 Michigan Hollow Rd Spencer, NY, 14883 Nightowlfarmllc@gmail.com 607-279-9973

License #: OCM-CULT-24-000138

Certificate of Analysis

Einal



Sample #: 7744 D4

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCV	31262-37-0	0.001000	ND	ND	
CBD	13956-29-1	0.001000	ND	ND	
CBN	521-35-7	0.001000	ND	ND	
d8-THC	5957-75-5	0.001000	ND	ND	
d10/R9-THC	95543-62-7	0.001000	ND	ND	
d10/S9-THC	95588-87-7	0.001000	ND	ND	

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

Terpenes by HS-GC-MS		Limonene	Caryophyllene	Linalool	Date Completed: 11/25/2024 10:55A
Compound	CAS#	LOQ (%)	%	Relative Concentration	
Limonene	5989-27-5	0.1000	0.5756		
Beta-caryophyllene	87-44-5	0.1000	0.4513		
Farnesene	502-61-4	0.1000	0.2623		
Linalool	78-70-6	0.1000	0.1302		
Alpha-humulene	6753-98-6	0.1000	0.1204		
Beta-myrcene	123-35-3	0.1000	ND		
Alpha-pinene	80-56-8	0.1000	ND		
Beta-pinene	127-91-3	0.1000	ND		
Terpinolene	586-62-9	0.1000	ND		

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 2 of 8

178 Michigan Hollow Rd Spencer, NY, 14883 Nightowlfarmllc@gmail.com 607-279-9973

License #: OCM-CULT-24-000138



Fina



Sample #: 7744 D4

Compound	CAS#	LOQ (%)	%	Relative Concentration
Ocimene	13877-91-3	0.1000	ND	
Alpha-bisabolol	515-69-5	0.1000	ND	
Caryophyllene-oxide	1139-30-6	0.1000	ND	
Geraniol	106-24-1	0.1000	ND	
Camphene	79-92-5	0.1000	ND	
Guaiol	489-86-1	0.1000	ND	
Alpha-terpinene	99-86-5	0.1000	ND	
Terpineol	8006-39-1	0.1000	ND	
Fenchol	14575-74-7	0.1000	ND	
Valencene	4630-07-3	0.1000	ND	
Alpha-phellandrene	99-83-2	0.1000	ND	

Foreign Matter by	Foreign Matter by Microscopy			Analysis Date: 11/26/2024 10:51 am			
Compound		LOQ (%)	Limits (%)	Result (%)	Status		
% Foreign Matter		0.00100	2.0	ND	Pass		
Mammalian Exreta		0.00100	0.03	ND	Pass		
Stems		0.00100	5.0	ND	Pass		
Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.							

Moisture LWG	Pass	3	Analysis Date: 11/26/2024 10:52 ar	
Compound	LOQ (%)	Limits (%)	Result (%)	Status
Moisture	1.2	5 - 15	13.2	Pass
Comment: Physical chemistry was tested using moisture analyze	er, water activity meter using P-NY 16	60. Unless otherwise stated, all QC passed		

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N. Guelal

Dr. Kelly Greenland, Lab Director



Page 3 of 8

178 Michigan Hollow Rd Spencer, NY, 14883 Nightowlfarmllc@gmail.com 607-279-9973

License #: OCM-CULT-24-000138

Certificate of Analysis

Final



Sample #: 7744 D4

Wa	ter Activity	Pass	3	Analysis Date	: 11/26/2024 10:53 am			
_	Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status			
_	Water Activity	0.05	0.65	0.55	Pass			
Com	Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.							

esticides by LCMSMS	Pass	}	Analysis Date: 12/02/2024 6:59		
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status	
Abamectin	0.0100	0.500	ND	Pass	
Acephate	0.0100	0.400	ND	Pass	
Acequinocyl	0.0100	2.00	ND	Pass	
Acetamiprid	0.0100	0.200	ND	Pass	
Aldicarb	0.0100	0.400	ND	Pass	
Azadirachtin	0.0100	1.00	ND	Pass	
Azoxystrobin	0.0100	0.200	ND	Pass	
Bifenazate	0.0100	0.200	ND	Pass	
Bifenthrin	0.0100	0.200	ND	Pass	
Boscalid	0.0100	0.400	ND	Pass	
Captan	0.0100	1.00	ND	Pass	
Carbaryl	0.0100	0.200	ND	Pass	
Carbofuran	0.0100	0.200	ND	Pass	
Chlorantraniliprole	0.0100	0.200	ND	Pass	
Chlordane-alpha	0.0100	1.00	ND	Pass	
Chlorfenapyr	0.0100	1.00	ND	Pass	
Chlormequat Chloride	0.0100	1.00	ND	Pass	
Chlorpyrifos	0.0100	0.200	ND	Pass	
Clofentezine	0.0100	0.200	ND	Pass	
Coumaphos	0.0100	1.00	ND	Pass	
Cyfluthrin	0.0100	1.00	ND	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 4 of 8

178 Michigan Hollow Rd Spencer, NY, 14883 Nightowlfarmllc@gmail.com 607-279-9973

License #: OCM-CULT-24-000138

Certificate of Analysis

Fina



Sample #: 7744 D4

sticides by LCMSMS	Pass	•	Analysis Dat	e: 12/02/2024 6:59
Compound	LOQ (μg/g)	Limits (µg/g)	Result (µg/g)	Status
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass
Dimethomorph	0.0100	1.00	ND	Pass
Ethoprophos	0.0100	0.200	ND	Pass
Etofenprox	0.0100	0.400	ND	Pass
Etoxazole	0.0100	0.200	ND	Pass
Fenhexamid	0.0100	1.00	ND	Pass
Fenoxycarb	0.0100	0.200	ND	Pass
Fenpyroximate	0.0100	0.400	ND	Pass
Fipronil	0.0100	0.400	ND	Pass
Flonicamid	0.0100	1.00	ND	Pass
Fludioxonil	0.0100	0.400	ND	Pass
Hexythiazox	0.0100	1.00	ND	Pass
Imazalil	0.0100	0.200	ND	Pass
Imidacloprid	0.0100	0.400	ND	Pass
Indolebutyric Acid	0.0100	1.00	ND	Pass
Kresoxim-methyl	0.0100	0.400	ND	Pass
Malathion	0.0100	0.200	ND	Pass
Metalaxyl	0.0100	0.200	ND	Pass
Methiocarb	0.0100	0.200	ND	Pass
Methomyl	0.0100	0.400	ND	Pass
Methyl Parathion	0.0100	0.200	ND	Pass
Mevinphos	0.0100	1.00	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 5 of 8

178 Michigan Hollow Rd Spencer, NY, 14883 Nightowlfarmllc@gmail.com 607-279-9973

License #: OCM-CULT-24-000138

Certificate of Analysis

Fina



Sample #: 7744 D4

sticides by LCMSMS	Pass	•	Analysis Date: 12/02/2024 6:59		
Compound	LOQ (µg/g)	Limits (µg/g)	Result (μg/g)	Status	
MGK-264	0.0100	0.200	ND	Pass	
Myclobutanil	0.0100	0.200	ND	Pass	
Naled	0.0100	0.500	ND	Pass	
Oxamyl	0.0100	1.00	ND	Pass	
Paclobutrazol	0.0100	0.400	ND	Pass	
Pentachloronitrobenzene	0.0100	1.00	ND	Pass	
Permethrins, Total	0.0100	0.200	ND	Pass	
Phosmet	0.0100	0.200	ND	Pass	
Piperonyl Butoxide	0.0100	2.00	ND	Pass	
Prallethrin	0.0100	0.200	ND	Pass	
Propiconazole	0.0100	0.400	ND	Pass	
Propoxur	0.0100	0.200	ND	Pass	
Pyrethrins Total	0.0100	1.00	ND	Pass	
Pyridaben	0.0100	0.200	ND	Pass	
Spinetoram Total	0.0100	1.00	ND	Pass	
Spinosad Total	0.0100	0.200	ND	Pass	
Spiromesifen	0.0100	0.200	ND	Pass	
Spirotetramat	0.0100	0.200	ND	Pass	
Spiroxamine	0.0100	0.200	ND	Pass	
Tebuconazole	0.0100	0.400	ND	Pass	
Thiacloprid	0.0100	0.200	ND	Pass	
Thiamethoxam	0.0100	0.200	ND	Pass	
Trifloxystrobin	0.0100	0.200	ND	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N. Guela

Dr. Kelly Greenland, Lab Director



178 Michigan Hollow Rd Spencer, NY, 14883 Nightowlfarmllc@gmail.com 607-279-9973

License #: OCM-CULT-24-000138

Certificate of Analysis

Fina



Sample #: 7744 D4

Mycotoxins by LCMSMS	Pass	3	Analysis Date : 12/02/2024 6:59 pm		
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status	
Aflatoxin B1	0.0050	0.020	ND	Pass	
Aflatoxin B2	0.0050	0.020	ND	Pass	
Aflatoxin G1	0.0050	0.020	ND	Pass	
Aflatoxin G2	0.0050	0.020	ND	Pass	
Ochratoxin A	0.0050	0.020	ND	Pass	
Total Aflatoxin	0.0050	0.020	ND	Pass	
Comment: Mycotoxin contamination tested by LCMSMS usin	ng P-NY125. Unless otherwise stated, all	QC passed.			

eavy Metals by ICPMS	Pass		Analysis Date: 11/30/2024 10:40 am		
Compound	LOQ (µg/g)	Limits (µg/g)	Result (μg/g)	Status	
Antimony	0.0100	2.00	0.0857	Pass	
Arsenic	0.00100	0.200	ND	Pass	
Cadmium	0.00150	0.200	ND	Pass	
Chromium	0.280	110	ND	Pass	
Copper	0.0750	30.0	4.80	Pass	
Lead	0.00250	0.500	ND	Pass	
Mercury	0.000500	0.100	0.00892	Pass	
Nickel	0.0100	5.00	ND	Pass	
Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.					

Micro by Petri & qPCR		Pass		Analysis Date: 11/26/2024 1:58 pm	
	Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
	Aspergillus flavus Qualitative	1	0	Not Detected	Pass
	Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass
	Aspergillus niger Qualitative	1	0	Not Detected	Pass
	Aspergillus terreus Qualitative	1	0	Not Detected	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007



Dr. Kelly Greenland, Lab Director



Page 7 of 8

178 Michigan Hollow Rd Spencer, NY, 14883 Nightowlfarmllc@gmail.com 607-279-9973

License #: OCM-CULT-24-000138

Certificate of Analysis

Fina



Sample #: 7744 D4

Micro by Petri & qPCR		Pass	•	Analysis Date: 11/26/2024 1:58 pm		
	Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status	
	Salmonella Qualitative	1	0	Not Detected	Pass	
	Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass	
	Total Aerobic Bacteria	10		320000	Pass	
	Total Yeast & Mold	10		54000	Pass	
Co		Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". "Passed" for an adult-use product implies the results contain less than 1,000,000 cfu/g.				

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 8 of 8