3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358

License #: OCM-PROC-24-000024

### **Certificate of Analysis**



Date Released: 11/12/2024 6:09:32PM

Report #: 29692

#### **Blue Cheese PR**

Sample #: 6818, Weight: 15.00g, Unit Count:

Order #: X241101-0035 Category/Type: Plant, Preroll

Date Collected: 10/31/2024 6:10:00PM Date Received: 11/1/2024 11:06:19AM Date Sampled: 10/31/2024 12:37:00PM Regulator Sample ID: BLC-PR-610-24-0.75


Regulator Source Package ID: BLC-PR-610-24-0.75

Regulator Batch ID: BLC-PR-610-24-0.75

Size: 9676Units, Unit Count:



**Total Cannabinoids** 33.00 % 330.0 mg/g



Total THC

27.83 %

Microbials Pesticides PASS **PASS** 



**Total CBD** 0.08006 % 0.8006 mg/g





**Total Terpenes** 1.096 %

Moisture 8.3 %

**Heavy Metals PASS** 

**PASS** 



Mycotoxins Foreign Matter Water Activity **PASS** 

Cannabinoids Avg	Total Cannabinoids: 33.00 % - 330.0 mg/g Total THC: 27.83 % - 278.3 mg/g Total CBD: 0.08006 % - 0.8006 mg/g					Date Completed: 11/04/2024	10:45AM
Compound	CAS#	LOQ	%	mg/g	Relative Concentration		

Total CBD: 0.08006 % - 0.8006 mg/g					
Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa	23978-85-0	0.001000	30.98	309.8	
CBGa	25555-57-1	0.001000	1.141	11.41	-
d9-THC	1972-08-3	0.001000	0.6583	6.583	-
CBDa	1244-58-2	0.001000	0.09128	0.9128	
CBG	25654-31-3	0.001000	0.08030	0.8030	I
d10/S9-THC	95588-87-7	0.001000	0.03273	0.3273	
CBDV	24274-48-4	0.001000	0.02170	0.2170	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





**Keystone State Testing of New York** 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007



Dr. Kelly Greenland, Lab Director



3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358

## **Certificate of Analysis**



License #: OCM-PROC-24-000024

Sample #: 6818 Blue Cheese PR

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
HCV	31262-37-0	0.001000	ND	ND	
CBD	13956-29-1	0.001000	ND	ND	
CBN	521-35-7	0.001000	ND	ND	
d8-THC	5957-75-5	0.001000	ND	ND	
d10/R9-THC	95543-62-7	0.001000	ND	ND	
CBC	20675-51-8	0.001000	ND	ND	

stated all QC passed.

Terpenes by HS-GC-MS		Ç	Limonene	Humulene	<b>Date Completed:</b> 11/04/2024 9:	:34AM
Compound	CAS#	LOQ (%)	%	Relative Concentration		
Beta-caryophyllene	87-44-5	0.1000	0.5744			
Limonene	5989-27-5	0.1000	0.2168			
Alpha-humulene	6753-98-6	0.1000	0.1546			
Beta-myrcene	123-35-3	0.1000	0.1503			
Alpha-pinene	80-56-8	0.1000	ND			
Linalool	78-70-6	0.1000	ND			
Beta-pinene	127-91-3	0.1000	ND			
Terpinolene	586-62-9	0.1000	ND			
Ocimene	13877-91-3	0.1000	ND			

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007

Kelly N Guela

Dr. Kelly Greenland, Lab Director



3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358 **Certificate of Analysis** 

Fina



License #: OCM-PROC-24-000024

Sample #: 6818 Blue Cheese PR

Compound	CAS#	LOQ (%)	%	Relative Concentration	
lpha-bisabolol	515-69-5	0.1000	ND		
aryophyllene-oxide	1139-30-6	0.1000	ND		
eraniol	106-24-1	0.1000	ND		
amphene	79-92-5	0.1000	ND		
uaiol	489-86-1	0.1000	ND		
lpha-terpinene	99-86-5	0.1000	ND		
erpineol	8006-39-1	0.1000	ND		
enchol	14575-74-7	0.1000	ND		
alencene	4630-07-3	0.1000	ND		
lpha-phellandrene	99-83-2	0.1000	ND		
arnesene	502-61-4	0.1000	ND		

F	oreign Matter by Microscopy	Pass	;	<b>Analysis Date:</b> 11/04/2024 5:55 pm		
	Compound	LOQ (%)	Limits (%)	Result (%)	Status	
	% Foreign Matter	0.00100	2.0	ND	Pass	
	Mammalian Exreta	0.00100	0.03	ND	Pass	
	Stems	0.00100	5.0	ND	Pass	
Co	pmment: Physical chemistry was tested using moisture analyzer,	water activity meter using P-NY 16	0. Unless otherwise stated, all QC passed			

Moisture LWG	Pass	<b>3</b>	<b>Analysis Date:</b> 11/04/2024 5:52 pm		
Compound	LOQ (%)	Limits (%)	Result (%)	Status	
Moisture	1.2	5 - 15	8.3	Pass	
Comment: Physical chemistry was tested using moisture analyze	er, water activity meter using P-NY 16	60. Unless otherwise stated, all QC passed	l.		

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Gree La

Dr. Kelly Greenland, Lab Director



Page 3 of 8

3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358

License #: OCM-PROC-24-000024

Bluff Point, NY 14478

**Certificate of Analysis** 

Sample #: 6818 Blue Cheese PR

Water Activity		Pass	S	Analysis Date	<b>Analysis Date:</b> 11/04/2024 5:52 pm		
	Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status		
	Water Activity	0.05	0.65	0.51	Pass		
Co	mment: Physical chemistry was tested using moisture analyzer, water	activity meter using P-NY 1	60. Unless otherwise stated, all QC passe	ed.			

esticides by LCMSMS	Pass	<b>;</b>	Analysis Date	e: 11/05/2024 6:09
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
Abamectin	0.0100	0.500	ND	Pass
Acephate	0.0100	0.400	ND	Pass
Acequinocyl	0.0100	2.00	ND	Pass
Acetamiprid	0.0100	0.200	ND	Pass
Aldicarb	0.0100	0.400	ND	Pass
Azadirachtin	0.0100	1.00	ND	Pass
Azoxystrobin	0.0100	0.200	ND	Pass
Bifenazate	0.0100	0.200	ND	Pass
Bifenthrin	0.0100	0.200	ND	Pass
Boscalid	0.0100	0.400	ND	Pass
Captan	0.0100	1.00	ND	Pass
Carbaryl	0.0100	0.200	ND	Pass
Carbofuran	0.0100	0.200	ND	Pass
Chlorantraniliprole	0.0100	0.200	ND	Pass
Chlordane-alpha	0.0100	1.00	ND	Pass
Chlorfenapyr	0.0100	1.00	ND	Pass
Chlormequat Chloride	0.0100	1.00	ND	Pass
Chlorpyrifos	0.0100	0.200	ND	Pass
Clofentezine	0.0100	0.200	ND	Pass
Coumaphos	0.0100	1.00	ND	Pass
Cyfluthrin	0.0100	1.00	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 4 of 8

3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358

# **Certificate of Analysis**

Final



License #: OCM-PROC-24-000024

Sample #: 6818 Blue Cheese PR

sticides by LCMSMS	Pass	<b>;</b>	Analysis Dat	<b>e:</b> 11/05/2024 6:09
Compound	LOQ (μg/g)	Limits (µg/g)	Result (µg/g)	Status
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass
Dimethomorph	0.0100	1.00	ND	Pass
Ethoprophos	0.0100	0.200	ND	Pass
Etofenprox	0.0100	0.400	ND	Pass
Etoxazole	0.0100	0.200	ND	Pass
Fenhexamid	0.0100	1.00	ND	Pass
Fenoxycarb	0.0100	0.200	ND	Pass
Fenpyroximate	0.0100	0.400	ND	Pass
Fipronil	0.0100	0.400	ND	Pass
Flonicamid	0.0100	1.00	ND	Pass
Fludioxonil	0.0100	0.400	ND	Pass
Hexythiazox	0.0100	1.00	ND	Pass
lmazalil	0.0100	0.200	ND	Pass
Imidacloprid	0.0100	0.400	ND	Pass
Indolebutyric Acid	0.0100	1.00	ND	Pass
Kresoxim-methyl	0.0100	0.400	ND	Pass
Malathion	0.0100	0.200	ND	Pass
Metalaxyl	0.0100	0.200	ND	Pass
Methiocarb	0.0100	0.200	ND	Pass
Methomyl	0.0100	0.400	ND	Pass
Methyl Parathion	0.0100	0.200	ND	Pass
Mevinphos	0.0100	1.00	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 5 of 8

3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358 **Certificate of Analysis** 

Final



License #: OCM-PROC-24-000024

Sample #: 6818 Blue Cheese PR

sticides by LCMSMS	Pass	i	Analysis Date	e: 11/05/2024 6:09
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
MGK-264	0.0100	0.200	ND	Pass
Myclobutanil	0.0100	0.200	ND	Pass
Naled	0.0100	0.500	ND	Pass
Oxamyl	0.0100	1.00	ND	Pass
Paclobutrazol	0.0100	0.400	ND	Pass
Pentachloronitrobenzene	0.0100	1.00	ND	Pass
Permethrins, Total	0.0100	0.200	ND	Pass
Phosmet	0.0100	0.200	ND	Pass
Piperonyl Butoxide	0.0100	2.00	ND	Pass
Prallethrin	0.0100	0.200	ND	Pass
Propiconazole	0.0100	0.400	ND	Pass
Propoxur	0.0100	0.200	ND	Pass
Pyrethrins Total	0.0100	1.00	ND	Pass
Pyridaben	0.0100	0.200	ND	Pass
Spinetoram Total	0.0100	1.00	ND	Pass
Spinosad Total	0.0100	0.200	ND	Pass
Spiromesifen	0.0100	0.200	ND	Pass
Spirotetramat	0.0100	0.200	ND	Pass
Spiroxamine	0.0100	0.200	ND	Pass
Tebuconazole	0.0100	0.400	ND	Pass
Thiacloprid	0.0100	0.200	ND	Pass
Thiamethoxam	0.0100	0.200	ND	Pass
Trifloxystrobin	0.0100	0.200	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 6 of 8

3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358 **Certificate of Analysis** 

Final



License #: OCM-PROC-24-000024

Sample #: 6818 Blue Cheese PR

lycotoxins by LCMSMS	Pass	,	<b>Analysis Date:</b> 11/05/2024 6:09 p		
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status	
Aflatoxin B1	0.0050	0.020	ND	Pass	
Aflatoxin B2	0.0050	0.020	ND	Pass	
Aflatoxin G1	0.0050	0.020	ND	Pass	
Aflatoxin G2	0.0050	0.020	ND	Pass	
Ochratoxin A	0.0050	0.020	ND	Pass	
Total Aflatoxin	0.0050	0.020	ND	Pass	
Comment: Mycotoxin contamination tested by LCMSMS usin	ng P-NY125. Unless otherwise stated, all	QC passed.			

avy Metals by ICPMS	Pass		Analysis Date: 11/05/2024 10:29	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (μg/g)	Status
Antimony	0.0100	2.00	ND	Pass
Arsenic	0.00100	0.200	ND	Pass
Cadmium	0.00150	0.200	0.0506	Pass
Chromium	0.280	110	0.325	Pass
Copper	0.0750	30.0	14.3	Pass
Lead	0.00250	0.500	0.0890	Pass
Mercury	0.000500	0.100	0.00351	Pass
Nickel	0.0100	5.00	0.798	Pass

Micro by Petri & qPCR		Pass		<b>Analysis Date</b> : 11/05/2024 9:43 am	
	Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
	Aspergillus flavus Qualitative	1	0	Not Detected	Pass
	Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass
	Aspergillus niger Qualitative	1	0	Not Detected	Pass
	Aspergillus terreus Qualitative	1	0	Not Detected	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007



Dr. Kelly Greenland, Lab Director



Page 7 of 8

3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358 **Certificate of Analysis** 

Final



License #: OCM-PROC-24-000024

### Sample #: 6818 Blue Cheese PR

Micro by Petri & qPCR		Pass		<b>Analysis Date:</b> 11/05/2024 9:43 am	
	Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
	Salmonella Qualitative	1	0	Not Detected	Pass
	Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass
	Total Aerobic Bacteria	10		2000	Pass
	Total Yeast & Mold	10		1000	Pass
Co	mment: Microbial contamination tested by Petrifilm plates and qPCF <b>Due to COA validation limitations:</b> "Not Detected" = "Abse implies the results contain less than 1,000,000 cfu/g.	•		"Absence" and "1" = "Presence". "Passed" for an ad	ult-use product

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guelal

Dr. Kelly Greenland, Lab Director



Page 8 of 8