39 Wuthering Drive Elmira, NY, 14903

607-331-3832

License #: OCM-MICR-24-000129

Certificate of Analysis



Date Released: 4/7/2025 5:07:34PM

Report #: 52661

Royal Highness badder

Sample #: 13587, Weight: 8.00g, Unit Count:

Order #: X250402-0001

Category/Type: Concentrates & Extract, Concentrate

Date Collected: 4/1/2025 6:00:00PM Date Received: 4/2/2025 11:27:04AM Date Sampled: 4/1/2025 3:10:00PM Regulator Sample ID: TDHRH1G001

Regulator Source Package ID: TDHRH1G001

Regulator Batch ID: TDHRH1G001

Size: 1200Units, Unit Count:



Total Cannabinoids 79.30 %



Total THC 67.50 % 675.0 mg/g



Total CBD **Total Terpenes Heavy Metals** 2.583 % 2.814 %



PASS

Date Completed: 04/04/2025 11:53AM



793.0 mg/g







Relative Concentration

Potency Analysis by HPLC

Total Cannabinoids: 79.30 % - 793.0 mg/g

Total THC: 67.50 % - 675.0 mg/g Total CBD: 2.814 % - 28.14 mg/g

Compound	CAS#	LOQ (%)	%	mg/g
THCa	23978-85-0	0.001000	69.79	697.9
d9-THC	1972-08-3	0.001000	6.297	62.97
CBDa	1244-58-2	0.001000	3.209	32.09
d8-THC	5957-75-5	0.001000	ND	ND
d10/R9-THC		0.001000	ND	ND
d10/S9-THC		0.001000	ND	ND

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty. If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007





39 Wuthering Drive Elmira, NY, 14903

607-331-3832

License #: OCM-MICR-24-000129

Certificate of Analysis


Einal



Sample #: 13587 Royal Highness badder

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCV	31262-37-0	0.001000	ND	ND	
CBD	13956-29-1	0.001000	ND	ND	
CBDV	24274-48-4	0.001000	ND	ND	
CBC	20675-51-8	0.001000	ND	ND	
CBG	25654-31-3	0.001000	ND	ND	
CBGa	25555-57-1	0.001000	ND	ND	
CBN	521-35-7	0.001000	ND	ND	

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.



LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela



39 Wuthering Drive Elmira, NY, 14903

607-331-3832

License #: OCM-MICR-24-000129

Certificate of Analysis

Einal



Sample #: 13587 Royal Highness badder

Compound	CAS#	LOQ (%)	%	Relative Concentration
Beta-pinene	127-91-3	0.1000	ND	
Terpinolene	586-62-9	0.1000	ND	
Ocimene	13877-91-3	0.1000	ND	
Alpha-bisabolol	515-69-5	0.1000	ND	
Caryophyllene-oxide	1139-30-6	0.1000	ND	
Geraniol	106-24-1	0.1000	ND	
Camphene	79-92-5	0.1000	ND	
Guaiol	489-86-1	0.1000	ND	
Alpha-terpinene	99-86-5	0.1000	ND	
Terpineol	8006-39-1	0.1000	ND	
Fenchol	14575-74-7	0.1000	ND	
Alpha-phellandrene	99-83-2	0.1000	ND	

P	esticides by LCMSMS	Pass		Analysis Date: 04/07/2025 3:43 pm		
	Compound	LOQ (μg/g)	Limits (μg/g)	Result (μg/g)	Status	
	Abamectin	0.0100	0.500	ND	Pass	
	Acephate	0.0100	0.400	ND	Pass	
	Acequinocyl	0.0100	2.00	ND	Pass	
	Acetamiprid	0.0100	0.200	ND	Pass	
	Aldicarb	0.0100	0.400	ND	Pass	
	Azadirachtin	0.0100	1.00	ND	Pass	
	Azoxystrobin	0.0100	0.200	ND	Pass	
	Bifenazate	0.0100	0.200	ND	Pass	
	Bifenthrin	0.0100	0.200	ND	Pass	
	Boscalid	0.0100	0.400	ND	Pass	
	Captan	0.0100	1.00	ND	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N. Greelel



39 Wuthering Drive Elmira, NY, 14903

607-331-3832

License #: OCM-MICR-24-000129

Certificate of Analysis

Final



Sample #: 13587 Royal Highness badder

esticides by LCMSMS	Pass	}	Analysis Date: 04/07/2025 3:43 pr	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (μg/g)	Status
Carbaryl	0.0100	0.200	ND	Pass
Carbofuran	0.0100	0.200	ND	Pass
Chlorantraniliprole	0.0100	0.200	ND	Pass
Chlordane-alpha	0.0100	1.00	ND	Pass
Chlorfenapyr	0.0100	1.00	ND	Pass
Chlormequat Chloride	0.0100	1.00	ND	Pass
Chlorpyrifos	0.0100	0.200	ND	Pass
Clofentezine	0.0100	0.200	ND	Pass
Coumaphos	0.0100	1.00	ND	Pass
Cyfluthrin	0.0100	1.00	ND	Pass
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass
Dimethomorph	0.0100	1.00	ND	Pass
Ethoprophos	0.0100	0.200	ND	Pass
Etofenprox	0.0100	0.400	ND	Pass
Etoxazole	0.0100	0.200	ND	Pass
Fenhexamid	0.0100	1.00	ND	Pass
Fenoxycarb	0.0100	0.200	ND	Pass
Fenpyroximate	0.0100	0.400	ND	Pass
Fipronil	0.0100	0.400	ND	Pass
Flonicamid	0.0100	1.00	ND	Pass
Fludioxonil	0.0100	0.400	ND	Pass
Hexythiazox	0.0100	1.00	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela



39 Wuthering Drive Elmira, NY, 14903

607-331-3832

License #: OCM-MICR-24-000129

Certificate of Analysis

Final



Sample #: 13587 Royal Highness badder

esticides by LCMSMS	Pass	}	Analysis Date: 04/07/2025 3:43 pm	
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
lmazalil	0.0100	0.200	ND	Pass
Imidacloprid	0.0100	0.400	ND	Pass
Indolebutyric Acid	0.0100	1.00	ND	Pass
Kresoxim-methyl	0.0100	0.400	ND	Pass
Malathion	0.0100	0.200	ND	Pass
Metalaxyl	0.0100	0.200	ND	Pass
Methiocarb	0.0100	0.200	ND	Pass
Methomyl	0.0100	0.400	ND	Pass
Methyl Parathion	0.0100	0.200	ND	Pass
Mevinphos	0.0100	1.00	ND	Pass
MGK-264	0.0100	0.200	ND	Pass
Myclobutanil	0.0100	0.200	ND	Pass
Naled	0.0100	0.500	ND	Pass
Oxamyl	0.0100	1.00	ND	Pass
Paclobutrazol	0.0100	0.400	ND	Pass
Pentachloronitrobenzene	0.0100	1.00	ND	Pass
Permethrins, Total	0.0100	0.200	ND	Pass
Phosmet	0.0100	0.200	ND	Pass
Piperonyl Butoxide	0.0100	2.00	ND	Pass
Prallethrin	0.0100	0.200	ND	Pass
Propiconazole	0.0100	0.400	ND	Pass
Propoxur	0.0100	0.200	ND	Pass
Pyrethrins Total	0.0100	1.00	ND	Pass
Pyridaben	0.0100	0.200	ND	Pass
Spinetoram Total	0.0100	1.00	ND	Pass
Spinosad Total	0.0100	0.200	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007





39 Wuthering Drive Elmira, NY, 14903

607-331-3832

License #: OCM-MICR-24-000129

Certificate of Analysis

Final



Sample #: 13587 Royal Highness badder

Pesticides by LCMSMS	Pass	•	Analysis Date: 04/07/2025 3:43 pr	
Compound	LOQ (µg/g)	Limits (μg/g)	Result (μg/g)	Status
Spiromesifen	0.0100	0.200	ND	Pass
Spirotetramat	0.0100	0.200	ND	Pass
Spiroxamine	0.0100	0.200	ND	Pass
Tebuconazole	0.0100	0.400	ND	Pass
Thiacloprid	0.0100	0.200	ND	Pass
Thiamethoxam	0.0100	0.200	ND	Pass
Trifloxystrobin	0.0100	0.200	ND	Pass
Comment: Pesticides tested by LCMSMS by using P-NY150. Unless of	therwise stated, all QC passed			

Residual Solvents by HS-GC-MS	Pass	,	Analysis Date: 04/07/2025 12:33 pr		
Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status	
1,2-Dichloroethane	0.0500	5.00	ND	Pass	
Acetone	50.00	5000	ND	Pass	
Acetonitrile	50.00	410	ND	Pass	
Benzene	0.5000	2.00	ND	Pass	
Butanes Total	25.00	5000	2590	Pass	
Chloroform	0.5000	60.0	ND	Pass	
Dimethyl Sulfoxide (DMSO)	50.00	5000	ND	Pass	
Ethanol	50.00	5000	ND	Pass	
Ethyl acetate	50.00	5000	ND	Pass	
Ethyl ether	50.00	5000	ND	Pass	
Freon	50.00	1000	ND	Pass	
Heptane	50.00	5000	ND	Pass	
Hexanes Total	10.00	290	ND	Pass	
Isopropanol	50.00	5000	ND	Pass	
Methanol	50.00	3000	ND	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007





39 Wuthering Drive Elmira, NY, 14903

607-331-3832

License #: OCM-MICR-24-000129

Certificate of Analysis

Final



Sample #: 13587 Royal Highness badder

Residual Solvents by HS-GC-MS	Pass	,	Analysis Date: 04/07/2025 12:33 p			
Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status		
Methylene chloride	50.00	600	ND	Pass		
Pentanes Total	16.70	5000	ND	Pass		
Propane	50.00	5000	ND	Pass		
Toluene	50.00	890	ND	Pass		
Total xylenes	25.00	2170	ND	Pass		
Trichloroethane (1,1,1-)	50.00	1500	ND	Pass		
Comment: Residual Solvents tested by GCMS using P-NY170. Unless otherwise stated, all QC passed. "TIC" stands for Tentatively Identified Compound but not quantitated.						

Mycotoxins by LCMSMS	Pass	;	Analysis Date: 04/07/2025 3:43 p				
Compound	LOQ (µg/g)	Limits (μg/g)	Result (μg/g)	Status			
Aflatoxin B1	0.0050	0.020	ND	Pass			
Aflatoxin B2	0.0050	0.020	ND	Pass			
Aflatoxin G1	0.0050	0.020	ND	Pass			
Aflatoxin G2	0.0050	0.020	ND	Pass			
Ochratoxin A	0.0050	0.020	ND	Pass			
Total Aflatoxin	0.0050	0.020	ND	Pass			
Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.							

Pass	Pass		Analysis Date: 04/04/2025 10:13 at	
LOQ (µg/g)	Limits (µg/g)	Result (μg/g)	Status	
0.0100	2.00	ND	Pass	
0.00100	0.200	0.0105	Pass	
0.00150	0.300	ND	Pass	
0.280	110	ND	Pass	
0.0750	30.0	ND	Pass	
0.00250	0.500	ND	Pass	
	LOQ (μg/g) 0.0100 0.00100 0.00150 0.280 0.0750	LOQ (μg/g) Limits (μg/g) 0.0100 2.00 0.00100 0.200 0.00150 0.300 0.280 110 0.0750 30.0	LOQ (μg/g) Limits (μg/g) Result (μg/g) 0.0100 2.00 ND 0.00100 0.200 0.0105 0.00150 0.300 ND 0.280 110 ND 0.0750 30.0 ND	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007





39 Wuthering Drive Elmira, NY, 14903

607-331-3832

License #: OCM-MICR-24-000129

Certificate of Analysis

Eino



Sample #: 13587 Royal Highness badder

Heavy Metals by ICPMS		Pass		Analysis Date: 04/04/2025 10:13 am	
	Compound	LOQ (μg/g)	Limits (μg/g)	Result (μg/g)	Status
	Mercury	0.000500	0.100	ND	Pass
	Nickel	0.0100	2.00	ND	Pass
Co					

icro by Petri & qPCR	Pass		Analysis Date: 04/04/2025 1:04 pr	
Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Aspergillus flavus Qualitative	1	0	Not Detected	Pass
Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass
Aspergillus niger Qualitative	1	0	Not Detected	Pass
Aspergillus terreus Qualitative	1	0	Not Detected	Pass
Salmonella Qualitative	1	0	Not Detected	Pass
Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass
Total Aerobic Bacteria	10	10000	<loq< td=""><td>Pass</td></loq<>	Pass
Total Yeast & Mold	10	1000	100	Pass
comment: Microbial contamination tested by Petrifilm plates and qPC Due to COA validation limitations: "Not Detected" = "Abs implies the results contain less than 1,000,000 cfu/g.			Absence" and "1" = "Presence". "Passed" for an a	idult-use product

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela

