39 Wuthering Drive Elmira, NY, 14903

607-331-3832

License #: OCM-MICR-24-000129

Certificate of Analysis



Date Released: 2/10/2025 10:37:51AM

Report #: 43445

Buttermints

Sample #: 9989, Weight: 193.40g, Unit Count:

Order #: X250117-0001

Category/Type: Ingestible, Edibles Date Collected: 1/16/2025 6:39:00PM Date Received: 1/17/2025 12:59:14PM Date Sampled: 1/16/2025 5:29:00PM Regulator Sample ID: DHBM0001

Regulator Source Package ID: DHBM0001

Regulator Batch ID: DHBM0001 Size: 10000Units, Unit Count:



Total Cannabinoids 5.712 mg/svg

2.850 mg/g

Residual Solvents

PASS



Pesticides

PASS

Total THC **Total CBD** 4.350 mg/svg 0.04098 mg/svg 2.175 mg/g 0.01461 mg/g





0.000 %

Total Terpenes Heavy Metals PASS

Date Completed: 01/22/2025 12:18PM

PASS







Potency Analysis by HPLC

Total Cannabinoids: 5.712 mg/svg - 2.850 mg/g

Total THC: 4.350 mg/svg - 2.175 mg/g

0	Iotal CB	D: 0.0409	8 mg/sv	g - 0.01461
Compound	CAS#	LOQ (mg/svg)	mg/svg	mg/g
d9-THC	1972-08-3	0.01000	4.288	2.144
CBG	25654-31-3	0.01000	0.7408	0.3704
THCV	31262-37-0	0.01000	0.2655	0.1327
CBC	20675-51-8	0.01000	0.1165	0.05826
CBGa	25555-57-1	0.01000	0.1090	0.05452
CBN	521-35-7	0.01000	0.07661	0.03830

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007

Kelly N Grander



39 Wuthering Drive Elmira, NY, 14903

607-331-3832

License #: OCM-MICR-24-000129

Certificate of Analysis

Einal



Sample #: 9989 Buttermints

Compound	CAS#	LOQ (mg/svg)	mg/svg	mg/g	Relative Concentration
HCa	23978-85-0	0.01000	0.07055	0.03528	•
CBDa	1244-58-2	0.01000	0.03332	0.01666	'
CBD	13956-29-1	0.01000	0.01176	ND	1
d8-THC	5957-75-5	0.01000	ND	ND	
d10/R9-THC		0.01000	ND	ND	
d10/S9-THC		0.01000	ND	ND	
CBDV	24274-48-4	0.01000	ND	ND	

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

Terpenes by HS-GC-MS

Date Completed: 01/20/2025 11:10AM

Compound	CAS#	LOQ ()		Relative Concentration
Results based on dry weight				
Beta-myrcene	123-35-3	0.1000	ND	
Beta-caryophyllene	87-44-5	0.1000	ND	
Limonene	5989-27-5	0.1000	ND	
Alpha-pinene	80-56-8	0.1000	ND	
Alpha-humulene	6753-98-6	0.1000	ND	
Linalool	78-70-6	0.1000	ND	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guelal



39 Wuthering Drive Elmira, NY, 14903

607-331-3832

License #: OCM-MICR-24-000129

Certificate of Analysis

Einal



Sample #: 9989 Buttermints

Compound	CAS#	LOQ (%)	%	Relative Concentration
Beta-pinene	127-91-3	0.1000	ND	
Terpinolene	586-62-9	0.1000	ND	
Ocimene	13877-91-3	0.1000	ND	
Alpha-bisabolol	515-69-5	0.1000	ND	
Caryophyllene-oxide	1139-30-6	0.1000	ND	
Geraniol	106-24-1	0.1000	ND	
Camphene	79-92-5	0.1000	ND	
Guaiol	489-86-1	0.1000	ND	
Alpha-terpinene	99-86-5	0.1000	ND	
Terpineol	8006-39-1	0.1000	ND	
Fenchol	14575-74-7	0.1000	ND	
Valencene	4630-07-3	0.1000	ND	
Alpha-phellandrene	99-83-2	0.1000	ND	
Farnesene	502-61-4	0.1000	ND	

Water Activity		Pass	i	Analysis Date: 01/17/2025 4:19 pm		
Com	pound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status	
Wate	er Activity	0.05	0.85	0.59	Pass	
Comment:	Physical chemistry was tested using moisture analyze	r, water activity meter using P-NY 16	0. Unless otherwise stated, all QC passe	ed.		

Pe	esticides by LCMSMS	Pass		Analysis Date: 01/24/2025 3:38 p		
	Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status	
	Abamectin	0.0100	0.500	ND	Pass	
	Acephate	0.0100	0.400	ND	Pass	
	Acequinocyl	0.0100	2.00	ND	Pass	
	Acetamiprid	0.0100	0.200	ND	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007





39 Wuthering Drive Elmira, NY, 14903

607-331-3832

License #: OCM-MICR-24-000129

Certificate of Analysis

Final



Sample #: 9989 Buttermints

sticides by LCMSMS	Pass	;	Analysis Date: 01/24/2025 3:38	
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
Aldicarb	0.0100	0.400	ND	Pass
Azadirachtin	0.0100	1.00	ND	Pass
Azoxystrobin	0.0100	0.200	ND	Pass
Bifenazate	0.0100	0.200	ND	Pass
Bifenthrin	0.0100	0.200	ND	Pass
Boscalid	0.0100	0.400	ND	Pass
Captan	0.0100	1.00	ND	Pass
Carbaryl	0.0100	0.200	ND	Pass
Carbofuran	0.0100	0.200	ND	Pass
Chlorantraniliprole	0.0100	0.200	ND	Pass
Chlordane-alpha	0.0100	1.00	ND	Pass
Chlorfenapyr	0.0100	1.00	ND	Pass
Chlormequat Chloride	0.0100	1.00	ND	Pass
Chlorpyrifos	0.0100	0.200	ND	Pass
Clofentezine	0.0100	0.200	ND	Pass
Coumaphos	0.0100	1.00	ND	Pass
Cyfluthrin	0.0100	1.00	ND	Pass
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass
Dimethomorph	0.0100	1.00	ND	Pass
Ethoprophos	0.0100	0.200	ND	Pass
Etofenprox	0.0100	0.400	ND	Pass
Etoxazole	0.0100	0.200	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N. Gree La



39 Wuthering Drive Elmira, NY, 14903

607-331-3832

License #: OCM-MICR-24-000129

Certificate of Analysis

Einal



Sample #: 9989 Buttermints

sticides by LCMSMS	Pass	3	Analysis Date: 01/24/2025 3:38 pr		
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status	
Fenhexamid	0.0100	1.00	ND	Pass	
Fenoxycarb	0.0100	0.200	ND	Pass	
Fenpyroximate	0.0100	0.400	ND	Pass	
Fipronil	0.0100	0.400	ND	Pass	
Flonicamid	0.0100	1.00	ND	Pass	
Fludioxonil	0.0100	0.400	ND	Pass	
Hexythiazox	0.0100	1.00	ND	Pass	
Imazalil	0.0100	0.200	ND	Pass	
Imidacloprid	0.0100	0.400	ND	Pass	
Indolebutyric Acid	0.0100	1.00	ND	Pass	
Kresoxim-methyl	0.0100	0.400	ND	Pass	
Malathion	0.0100	0.200	ND	Pass	
Metalaxyl	0.0100	0.200	ND	Pass	
Methiocarb	0.0100	0.200	ND	Pass	
Methomyl	0.0100	0.400	ND	Pass	
Methyl Parathion	0.0100	0.200	ND	Pass	
Mevinphos	0.0100	1.00	ND	Pass	
MGK-264	0.0100	0.200	ND	Pass	
Myclobutanil	0.0100	0.200	ND	Pass	
Naled	0.0100	0.500	ND	Pass	
Oxamyl	0.0100	1.00	ND	Pass	
Paclobutrazol	0.0100	0.400	ND	Pass	
Pentachloronitrobenzene	0.0100	1.00	ND	Pass	
Permethrins, Total	0.0100	0.200	ND	Pass	
Phosmet	0.0100	0.200	ND	Pass	
Piperonyl Butoxide	0.0100	2.00	ND	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N. Gree Leo



39 Wuthering Drive Elmira, NY, 14903

607-331-3832

License #: OCM-MICR-24-000129

Certificate of Analysis

Einal



Sample #: 9989 Buttermints

Pesticides by LCMSMS	Pass	,	Analysis Date: 01/24/2025 3:38 pn					
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status				
Prallethrin	0.0100	0.200	ND	Pass				
Propiconazole	0.0100	0.400	ND	Pass				
Propoxur	0.0100	0.200	ND	Pass				
Pyrethrins Total	0.0100	1.00	ND	Pass				
Pyridaben	0.0100	0.200	ND	Pass				
Spinetoram Total	0.0100	1.00	ND	Pass				
Spinosad Total	0.0100	0.200	ND	Pass				
Spiromesifen	0.0100	0.200	ND	Pass				
Spirotetramat	0.0100	0.200	ND	Pass				
Spiroxamine	0.0100	0.200	ND	Pass				
Tebuconazole	0.0100	0.400	ND	Pass				
Thiacloprid	0.0100	0.200	ND	Pass				
Thiamethoxam	0.0100	0.200	ND	Pass				
Trifloxystrobin	0.0100	0.200	ND	Pass				
Comment: Pesticides tested by LCMSMS by using P-NY150.	omment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.							

esidual Solvents by HS-GC-MS	Pass		Analysis Date: 01/18/2025 12:21 pn		
Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status	
1,2-Dichloroethane	0.0500	5.00	ND	Pass	
Acetone	50.00	5000	160.5	Pass	
Acetonitrile	50.00	410	91.44	Pass	
Benzene	0.5000	2.00	ND	Pass	
Butanes Total	25.00	5000	ND	Pass	
Chloroform	0.5000	60.0	ND	Pass	
Dimethyl Sulfoxide (DMSO)	50.00	5000	ND	Pass	
Ethanol	50.00	5000	ND	Pass	
, ,					

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007





39 Wuthering Drive Elmira, NY, 14903

607-331-3832

License #: OCM-MICR-24-000129

Certificate of Analysis

Final



Sample #: 9989 Buttermints

Residual Solvents by HS-GC-MS	Pass	}	Analysis Date: 01/18/2025 12:21 pm				
Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status			
Ethyl acetate	50.00	5000	474.8	Pass			
Ethyl ether	50.00	5000	ND	Pass			
Freon	50.00	1000	ND	Pass			
Heptane	50.00	5000	ND	Pass			
Hexanes Total	10.00	290	ND	Pass			
Isopropanol	50.00	5000	ND	Pass			
Methanol	50.00	3000	ND	Pass			
Methylene chloride	50.00	600	ND	Pass			
Pentanes Total	16.70	5000	ND	Pass			
Propane	50.00	5000	ND	Pass			
Toluene	50.00	890	396.8	Pass			
Total xylenes	25.00	2170	489.0	Pass			
Trichloroethane (1,1,1-)	50.00	1500	ND	Pass			
Comment: Residual Solvents tested by GCMS using P-NY170. Unless otherwise stated, all QC passed. "TIC" stands for Tentatively Identified Compound but not quantitated.							

Mycotoxins by LCMSMS	cotoxins by LCMSMS Pass		Analysis Date:	01/24/2025 3:38 pm		
Compound	LOQ (µg/g)	Limits (μg/g)	Result (μg/g)	Status		
Aflatoxin B1	0.0050	0.020	ND	Pass		
Aflatoxin B2	0.0050	0.020	ND	Pass		
Aflatoxin G1	0.0050	0.020	ND	Pass		
Aflatoxin G2	0.0050	0.020	ND	Pass		
Ochratoxin A	0.0050	0.020	ND	Pass		
Total Aflatoxin	0.0050	0.020	ND	Pass		
Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.						

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela



39 Wuthering Drive Elmira, NY, 14903

607-331-3832

License #: OCM-MICR-24-000129

Certificate of Analysis

Einal



Sample #: 9989 Buttermints

Heavy Metals by ICPMS	Pass		Analysis Date: 01/21/2025 11:45 am	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (μg/g)	Status
Antimony	0.0100	120	ND	Pass
Arsenic	0.00100	1.50	0.00450	Pass
Cadmium	0.00150	0.500	ND	Pass
Chromium	0.280	1100	ND	Pass
Copper	0.0750	300	0.544	Pass
Lead	0.00250	0.500	0.0439	Pass
Mercury	0.000500	3.00	ND	Pass
Nickel	0.0100	20.0	0.0163	Pass
Comment: Heavy Metal contamination tested by ICPMS using P-NY	140. Unless otherwise stated, all	QC passed.		

cro by Petri & qPCR	Pass	;	Analysis Date: 01/22/2025 3:51 pt	
Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Aspergillus flavus Qualitative	1	0	Not Detected	Pass
Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass
Aspergillus niger Qualitative	1	0	Not Detected	Pass
Aspergillus terreus Qualitative	1	0	Not Detected	Pass
Salmonella Qualitative	1	0	Not Detected	Pass
Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass
Total Aerobic Bacteria	10	10000	<loq< td=""><td>Pass</td></loq<>	Pass
Total Yeast & Mold	10	1000	<loq< td=""><td>Pass</td></loq<>	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007



