

Green Wells Venture LLC

2138 Trapping brook RD, Wellsville NY, 14895
 VSamol@Greenwells.us
 207-491-3753
 License #: OCM-AUCC-22-000235

Certificate of Analysis

Final




Date Released: 1/15/2024 10:41:16AM

Report #: 8562

PAVE

Sample #: 3471, **Weight:** 17.50g, **Unit Count:**
Order #: X240105-0002
Category/Type: Plant, Flower - Cured
Date Collected: 1/5/2024 4:47:12PM
Date Received: 1/5/2024 4:56:13PM
Regulator Sample ID: B0711011.1
Regulator Source Package ID: B0711011.1
Regulator Batch ID: B0711011.1

Size: 640Units, **Unit Count:**



Potency Analysis by HPLC

Total Cannabinoids: **26.81 % - 268.1 mg/g**
 Total THC: **21.97 % - 219.7 mg/g**
 Total CBD: **0.07417 % - 0.7417 mg/g**

Date Completed: 01/10/2024 10:15AM

| Compound | CAS# | LOQ (%) | % | mg/g | Relative Concentration |
|----------|------------|----------|---------|--------|------------------------|
| THCa | 23978-85-0 | 0.001000 | 23.89 | 238.9 | [Bar] |
| CBGa | 25555-57-1 | 0.001000 | 1.600 | 16.00 | [Bar] |
| d9-THC | 1972-08-3 | 0.001000 | 1.014 | 10.14 | [Bar] |
| CBDV | 24274-48-4 | 0.001000 | 0.1133 | 1.133 | [Bar] |
| CBG | 25654-31-3 | 0.001000 | 0.1116 | 1.116 | [Bar] |
| CBDa | 1244-58-2 | 0.001000 | 0.08457 | 0.8457 | [Bar] |
| d8-THC | 5957-75-5 | 0.001000 | ND | ND | [Bar] |
| d10-THC | 95543-62-7 | 0.001000 | ND | ND | [Bar] |
| THCV | 31262-37-0 | 0.001000 | ND | ND | [Bar] |
| CBD | 13956-29-1 | 0.001000 | ND | ND | [Bar] |
| CBC | 20675-51-8 | 0.001000 | ND | ND | [Bar] |
| CBN | 521-35-7 | 0.001000 | ND | ND | [Bar] |

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.
 d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



Green Wells Venture LLC

2138 Trapping brook RD, Wellsville NY, 14895

VSamol@Greenwells.us

207-491-3753

License #: OCM-AUCC-22-000235

Certificate of Analysis

Final




Sample #: 3471

PAVE

Terpenes by HS-GC-MS

Date Completed: 01/11/2024 2:30PM



| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|---------------------|------------|---------|--------|----------------------------------|
| Beta-myrcene | 123-35-3 | 0.1000 | 1.176 | <div style="width: 100%;"></div> |
| Beta-caryophyllene | 87-44-5 | 0.1000 | 0.4466 | <div style="width: 38%;"></div> |
| Alpha-pinene | 80-56-8 | 0.1000 | 0.1753 | <div style="width: 15%;"></div> |
| Farnesene | 502-61-4 | 0.1000 | 0.1589 | <div style="width: 14%;"></div> |
| Alpha-humulene | 6753-98-6 | 0.1000 | 0.1397 | <div style="width: 12%;"></div> |
| Limonene | 5989-27-5 | 0.1000 | ND | |
| Linalool | 78-70-6 | 0.1000 | ND | |
| Beta-pinene | 127-91-3 | 0.1000 | ND | |
| Terpinolene | 586-62-9 | 0.1000 | ND | |
| Borneol | 464-43-7 | 0.1000 | ND | |
| Ocimene | 13877-91-3 | 0.1000 | ND | |
| Alpha-bisabolol | 515-69-5 | 0.1000 | ND | |
| Caryophyllene-oxide | 1139-30-6 | 0.1000 | ND | |
| Geraniol | 106-24-1 | 0.1000 | ND | |
| Camphene | 79-92-5 | 0.1000 | ND | |
| Guaiol | 489-86-1 | 0.1000 | ND | |
| Alpha-terpinene | 99-86-5 | 0.1000 | ND | |
| Terpineol | 8006-39-1 | 0.1000 | ND | |
| Fenchol | 14575-74-7 | 0.1000 | ND | |
| Valencene | 4630-07-3 | 0.1000 | ND | |
| Alpha-phellandrene | 99-83-2 | 0.1000 | ND | |
| Camphor | 464-49-3 | 0.1000 | ND | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



Green Wells Venture LLC

2138 Trapping brook RD, Wellsville NY, 14895

VSamolits@Greenwells.us

207-491-3753

License #: OCM-AUCC-22-000235

Certificate of Analysis

Final



Sample #: 3471

PAVE

| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|------------------|------------|---------|----|------------------------|
| 3-Carene | 13466-78-9 | 0.1000 | ND | |
| Alpha-cedrene | 469-61-4 | 0.1000 | ND | |
| Cedrol | 77-53-2 | 0.1000 | ND | |
| Eucalyptol | 470-82-6 | 0.1000 | ND | |
| Fenchone | 1195-79-5 | 0.1000 | ND | |
| Gamma-terpinene | 99-85-4 | 0.1000 | ND | |
| Geranyl Acetate | 105-87-3 | 0.1000 | ND | |
| Isopulegol | 89-79-2 | 0.1000 | ND | |
| Menthol | 15356-70-4 | 0.1000 | ND | |
| Nerol | 106-25-2 | 0.1000 | ND | |
| Nerolidol | | 0.1000 | ND | |
| Pulegone | 89-82-7 | 0.1000 | ND | |
| Sabinene | 3387-41-5 | 0.1000 | ND | |
| Sabinene Hydrate | 546-79-2 | 0.1000 | ND | |

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Foreign Matter by Microscopy

Pass

Analysis Date: 01/08/2024 11:51 am

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|-------------------|---------|------------|------------|--------|
| % Foreign Matter | 0.00100 | 2.0 | ND | Pass |
| Mammalian Excreta | 0.00100 | 0.03 | ND | Pass |
| Stems | 0.00100 | 5.0 | ND | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Moisture LWG

Pass

Analysis Date: 01/08/2024 12:44 pm

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|----------|---------|------------|------------|--------|
| Moisture | 1.2 | 5 - 15 | 12.1 | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



Green Wells Venture LLC

2138 Trapping brook RD, Wellsville NY,14895

VSamol@Greenwells.us

207-491-3753

License #: OCM-AUCC-22-000235

Certificate of Analysis

Final



Sample #: 3471

PAVE

Water Activity

Pass

Analysis Date: 01/08/2024 12:22 pm

| Compound | LOQ (Aw) | Limits (Aw) | Result (Aw) | Status |
|----------------|----------|-------------|-------------|--------|
| Water Activity | 0.05 | 0.65 | 0.42 | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS

Pass

Analysis Date: 01/10/2024 11:48 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------------|------------|---------------|---------------|--------|
| Abamectin | 0.0100 | 0.500 | ND | Pass |
| Acephate | 0.0100 | 0.400 | ND | Pass |
| Acequinocyl | 0.0100 | 2.00 | ND | Pass |
| Acetamiprid | 0.0100 | 0.200 | ND | Pass |
| Aldicarb | 0.0100 | 0.400 | ND | Pass |
| Azadirachtin | 0.0100 | 1.00 | ND | Pass |
| Azoxystrobin | 0.0100 | 0.200 | ND | Pass |
| Bifenazate | 0.0100 | 0.200 | ND | Pass |
| Bifenthrin | 0.0100 | 0.200 | ND | Pass |
| Boscalid | 0.0100 | 0.400 | ND | Pass |
| Captan | 0.0100 | 1.00 | ND | Pass |
| Carbaryl | 0.0100 | 0.200 | ND | Pass |
| Carbofuran | 0.0100 | 0.200 | ND | Pass |
| Chlorantraniliprole | 0.0100 | 0.200 | ND | Pass |
| Chlordane-alpha | 0.0100 | 1.00 | ND | Pass |
| Chlorfenapyr | 0.0100 | 1.00 | ND | Pass |
| Chloromequat Chloride | 0.0100 | 1.00 | ND | Pass |
| Chlorpyrifos | 0.0100 | 0.200 | ND | Pass |
| Clofentezine | 0.0100 | 0.200 | ND | Pass |
| Coumaphos | 0.0100 | 1.00 | ND | Pass |
| Cyfluthrin | 0.0100 | 1.00 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



Green Wells Venture LLC

2138 Trapping brook RD, Wellsville NY, 14895

VSamolits@Greenwells.us

207-491-3753

License #: OCM-AUCC-22-000235

Certificate of Analysis

Final



Sample #: 3471

PAVE

Pesticides by LCMSMS

Pass

Analysis Date: 01/10/2024 11:48 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------------|------------|---------------|---------------|--------|
| Cypermethrin | 0.0100 | 1.00 | ND | Pass |
| Daminozide | 0.0100 | 1.00 | ND | Pass |
| Diazinon | 0.0100 | 0.200 | ND | Pass |
| Dichlorvos | 0.0100 | 1.00 | ND | Pass |
| Dimethoate | 0.0100 | 0.200 | ND | Pass |
| Dimethomorph | 0.0100 | 1.00 | ND | Pass |
| Ethoprophos | 0.0100 | 0.200 | ND | Pass |
| Etofenprox | 0.0100 | 0.400 | ND | Pass |
| Etozazole | 0.0100 | 0.200 | ND | Pass |
| Fenhexamid | 0.0100 | 1.00 | ND | Pass |
| Fenoxycarb | 0.0100 | 0.200 | ND | Pass |
| Fenpyroximate | 0.0100 | 0.400 | ND | Pass |
| Fipronil | 0.0100 | 0.400 | ND | Pass |
| Fonicamid | 0.0100 | 1.00 | ND | Pass |
| Fludioxonil | 0.0100 | 0.400 | ND | Pass |
| Hexythiazox | 0.0100 | 1.00 | ND | Pass |
| Imazalil | 0.0100 | 0.200 | ND | Pass |
| Imidacloprid | 0.0100 | 0.400 | ND | Pass |
| Indolebutyric Acid | 0.0100 | 1.00 | ND | Pass |
| Kresoxim-methyl | 0.0100 | 0.400 | ND | Pass |
| Malathion | 0.0100 | 0.200 | ND | Pass |
| Metaxyl | 0.0100 | 0.200 | ND | Pass |
| Methiocarb | 0.0100 | 0.200 | ND | Pass |
| Methomyl | 0.0100 | 0.400 | ND | Pass |
| Methyl Parathion | 0.0100 | 0.200 | ND | Pass |
| Mevinphos | 0.0100 | 1.00 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director



Green Wells Venture LLC

2138 Trapping brook RD, Wellsville NY,14895

VSamolits@Greenwells.us

207-491-3753

License #: OCM-AUCC-22-000235

Certificate of Analysis

Final



Sample #: 3471

PAVE

Pesticides by LCMSMS

Pass

Analysis Date: 01/10/2024 11:48 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-------------------------|------------|---------------|---------------|--------|
| MGK-264 | 0.0100 | 0.200 | ND | Pass |
| Myclobutanil | 0.0100 | 0.200 | ND | Pass |
| Naled | 0.0100 | 0.500 | ND | Pass |
| Oxamyl | 0.0100 | 1.00 | ND | Pass |
| Paclobutrazol | 0.0100 | 0.400 | ND | Pass |
| Pentachloronitrobenzene | 0.0100 | 1.00 | ND | Pass |
| Permethrins, Total | 0.0100 | 0.200 | ND | Pass |
| Phosmet | 0.0100 | 0.200 | ND | Pass |
| Piperonyl Butoxide | 0.0100 | 2.00 | ND | Pass |
| Prallethrin | 0.0100 | 0.200 | ND | Pass |
| Propiconazole | 0.0100 | 0.400 | ND | Pass |
| Propoxur | 0.0100 | 0.200 | ND | Pass |
| Pyrethrins Total | 0.0100 | 1.00 | ND | Pass |
| Pyridaben | 0.0100 | 0.200 | ND | Pass |
| Spinetoram Total | 0.0100 | 1.00 | ND | Pass |
| Spinosad Total | 0.0100 | 0.200 | ND | Pass |
| Spiromesifen | 0.0100 | 0.200 | ND | Pass |
| Spirotetramat | 0.0100 | 0.200 | ND | Pass |
| Spiroxamine | 0.0100 | 0.200 | ND | Pass |
| Tebuconazole | 0.0100 | 0.400 | ND | Pass |
| Thiacloprid | 0.0100 | 0.200 | ND | Pass |
| Thiamethoxam | 0.0100 | 0.200 | ND | Pass |
| Trifloxystrobin | 0.0100 | 0.200 | ND | Pass |

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director





Sample #: 3471

PAVE

Mycotoxins by LCMSMS

Pass

Analysis Date: 01/10/2024 11:48 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Aflatoxin B1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.0050 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.0050 | 0.020 | ND | Pass |
| Ochratoxin A | 0.0050 | 0.020 | ND | Pass |
| Total Aflatoxin | 0.0050 | 0.020 | ND | Pass |

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS

Pass

Analysis Date: 01/10/2024 9:24 am

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
| Antimony | 0.0100 | 2.00 | ND | Pass |
| Arsenic | 0.00100 | 0.200 | ND | Pass |
| Cadmium | 0.00150 | 0.300 | 0.0159 | Pass |
| Chromium | 0.280 | 110 | ND | Pass |
| Copper | 0.0750 | 30.0 | 8.74 | Pass |
| Lead | 0.00250 | 0.500 | ND | Pass |
| Mercury | 0.000500 | 0.100 | 0.00164 | Pass |
| Nickel | 0.0100 | 5.00 | 0.0670 | Pass |

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Micro by Petri & qPCR

Pass

Analysis Date: 01/09/2024 9:09 am

| Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|-----------------------------------|-------------|----------------|----------------|--------|
| Aspergillus flavus Qualitative | 1 | 0 | Not Detected | Pass |
| Aspergillus fumigatus Qualitative | 1 | 0 | Not Detected | Pass |
| Aspergillus niger Qualitative | 1 | 0 | Not Detected | Pass |
| Aspergillus terreus Qualitative | 1 | 0 | Not Detected | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Kelly N Greenland

Dr. Kelly Greenland, Lab Director



Green Wells Venture LLC

2138 Trapping brook RD, Wellsville NY,14895

VSamol@Greenwells.us

207-491-3753

License #: OCM-AUCC-22-000235

Certificate of Analysis

Final



Sample #: 3471

PAVE

Micro by Petri & qPCR

Pass

Analysis Date: 01/09/2024 9:09 am

| Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|---|-------------|----------------|----------------|--------|
| Salmonella Qualitative | 1 | 0 | Not Detected | Pass |
| Shiga Toxin-Producing E. coli Qualitative | 1 | 0 | Not Detected | Pass |
| Total Aerobic Bacteria | 10 | | 1000 | Pass |
| Total Yeast & Mold | 10 | | 110000 | Pass |

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-2022-00007

Dr. Kelly Greenland, Lab Director

