


549 Gardnertown Rd Mount Vision, New York, 13810 Mountvisionfarms@gmail.com 607-441-7078 License #: OCM-AUCC-22-000020

Certificate of Analysis

Final



Size: 1200Units, Unit Count:

Cannabinoids Avg	Total TH	IC: 18.56	% - 185.6	% - 216.3 mg/g 6 mg/g 6556 mg/g		Date Completed: 11/11/2024 10:47AN
Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration	
THCa	23978-85-0	0.001000	20.13	201.3		
d9-THC	1972-08-3	0.001000	0.9058	9.058	-	
CBGa	25555-57-1	0.001000	0.3486	3.486	•	
CBG	25654-31-3	0.001000	0.09487	0.9487	1	
CBDa	1244-58-2	0.001000	0.07475	0.7475	I	
d10/S9-THC	95588-87-7	0.001000	0.07123	0.7123	1	
CBDV	24274-48-4	0.001000	ND	ND		
						at the laboratory. Date Received= Date and time sample ent

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



1809 Vestal Pkwy E Vestal, NY 13850 (607)301-0884

Keystone State Testing of New York

InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Keely N Guale Dr. Kelly Greenland, Lab Director





549 Gardnertown Rd Mount Vision, New York, 13810 Mountvisionfarms@gmail.com 607-441-7078 License #: OCM-AUCC-22-000020

Certificate of Analysis

Final



Sample #: 7022 Sour Compound CAS# LOQ % mg/g **Relative Concentration** (%) THCV 0.001000 31262-37-0 ND ND CBD ND ND 13956-29-1 0.001000 CBN 0.001000 521-35-7 ND ND d8-THC 5957-75-5 0.001000 ND ND d10/R9-THC 95543-62-7 0.001000 ND ND 20675-51-8 0.001000 CBC ND ND

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

Terpenes by HS-GC-MS	Ca	¢ ç¢ ryophyllene	Limonene	53- Humulene	Date Completed: 11/08/2024 9:48AM
Compound	CAS#	LOQ (%)	%	Relative Concentration	
Beta-caryophyllene	87-44-5	0.1000	0.3875		
Limonene	5989-27-5	0.1000	0.1677		
Alpha-humulene	6753-98-6	0.1000	0.1526		
Beta-myrcene	123-35-3	0.1000	ND		
Alpha-pinene	80-56-8	0.1000	ND		
Linalool	78-70-6	0.1000	ND		
Beta-pinene	127-91-3	0.1000	ND		
Terpinolene	586-62-9	0.1000	ND		
Ocimene	13877-91-3	0.1000	ND		

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.


Results based on simple acceptance, not taking into consideration measuremental uncertainty. If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Sur Lo Dr. Kelly Greenland, Lab Director





549 Gardnertown Rd Mount Vision, New York, 13810 Mountvisionfarms@gmail.com 607-441-7078 License #: OCM-AUCC-22-000020

Certificate of Analysis

Final

Sour



Sample #: 7022

Compound	CAS#	LOQ (%)	%	Relative Concentration
Alpha-bisabolol	515-69-5	0.1000	ND	
Caryophyllene-oxide	1139-30-6	0.1000	ND	
Geraniol	106-24-1	0.1000	ND	
Camphene	79-92-5	0.1000	ND	
Guaiol	489-86-1	0.1000	ND	
Alpha-terpinene	99-86-5	0.1000	ND	
Terpineol	8006-39-1	0.1000	ND	
Fenchol	14575-74-7	0.1000	ND	
Valencene	4630-07-3	0.1000	ND	
Alpha-phellandrene	99-83-2	0.1000	ND	
Farnesene	502-61-4	0.1000	ND	

Pass		Analysis Date: 11/07/2024 2:41 pm	
LOQ (%)	Limits (%)	Result (%)	Status
0.00100	2.0	ND	Pass
0.00100	0.03	ND	Pass
0.00100	5.0	ND	Pass
	LOQ (%) 0.00100 0.00100	LOQ (%) Limits (%) 0.00100 2.0 0.00100 0.03	LOQ (%) Limits (%) Result (%) 0.00100 2.0 ND 0.00100 0.03 ND

Comment:	Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.	

Moisture LWG	Pass	;	Analysis Date: 11/07/2024 2:41 pm				
Compound	LOQ (%)	Limits (%)	Result (%)	Status			
Moisture	1.2	5 - 15	12.1	Pass			
Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.							

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Keee N Guald Dr. Kelly Greenland, Lab Director





549 Gardnertown Rd Mount Vision, New York, 13810 Mountvisionfarms@gmail.com 607-441-7078 License #: OCM-AUCC-22-000020

Certificate of Analysis

Final

Sour



Sample #: 7022

Water Activity	Pass	•	Analysis Date: 11/07/2024 2:41 pm		
Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status	
Water Activity	0.05	0.65	0.53	Pass	

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

sticides by LCMSMS	Pass	i	Analysis Date: 11/11/2024 1:14 p		
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
Abamectin	0.0100	0.500	ND	Pass	
Acephate	0.0100	0.400	ND	Pass	
Acequinocyl	0.0100	2.00	ND	Pass	
Acetamiprid	0.0100	0.200	ND	Pass	
Aldicarb	0.0100	0.400	ND	Pass	
Azadirachtin	0.0100	1.00	ND	Pass	
Azoxystrobin	0.0100	0.200	ND	Pass	
Bifenazate	0.0100	0.200	ND	Pass	
Bifenthrin	0.0100	0.200	ND	Pass	
Boscalid	0.0100	0.400	ND	Pass	
Captan	0.0100	1.00	ND	Pass	
Carbaryl	0.0100	0.200	ND	Pass	
Carbofuran	0.0100	0.200	ND	Pass	
Chlorantraniliprole	0.0100	0.200	ND	Pass	
Chlordane-alpha	0.0100	1.00	ND	Pass	
Chlorfenapyr	0.0100	1.00	ND	Pass	
Chlormequat Chloride	0.0100	1.00	ND	Pass	
Chlorpyrifos	0.0100	0.200	ND	Pass	
Clofentezine	0.0100	0.200	ND	Pass	
Coumaphos	0.0100	1.00	ND	Pass	
Cyfluthrin	0.0100	1.00	ND	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E Vestal, NY 13850 (607)301-0884

InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly Greenland, Lab Director





549 Gardnertown Rd Mount Vision, New York, 13810 Mountvisionfarms@gmail.com 607-441-7078 License #: OCM-AUCC-22-000020

Certificate of Analysis

Final

Sour



Sample #: 7022

esticides by LCMSMS	Pass	;	Analysis Dat	Analysis Date: 11/11/2024 1:14 p		
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status		
Cypermethrin	0.0100	1.00	ND	Pass		
Daminozide	0.0100	1.00	ND	Pass		
Diazinon	0.0100	0.200	ND	Pass		
Dichlorvos	0.0100	1.00	ND	Pass		
Dimethoate	0.0100	0.200	ND	Pass		
Dimethomorph	0.0100	1.00	ND	Pass		
Ethoprophos	0.0100	0.200	ND	Pass		
Etofenprox	0.0100	0.400	ND	Pass		
Etoxazole	0.0100	0.200	ND	Pass		
Fenhexamid	0.0100	1.00	ND	Pass		
Fenoxycarb	0.0100	0.200	ND	Pass		
Fenpyroximate	0.0100	0.400	ND	Pass		
Fipronil	0.0100	0.400	ND	Pass		
Flonicamid	0.0100	1.00	ND	Pass		
Fludioxonil	0.0100	0.400	ND	Pass		
Hexythiazox	0.0100	1.00	ND	Pass		
Imazalil	0.0100	0.200	ND	Pass		
Imidacloprid	0.0100	0.400	ND	Pass		
Indolebutyric Acid	0.0100	1.00	ND	Pass		
Kresoxim-methyl	0.0100	0.400	ND	Pass		
Malathion	0.0100	0.200	ND	Pass		
Metalaxyl	0.0100	0.200	ND	Pass		
Methiocarb	0.0100	0.200	ND	Pass		
Methomyl	0.0100	0.400	ND	Pass		
Methyl Parathion	0.0100	0.200	ND	Pass		
Mevinphos	0.0100	1.00	ND	Pass		

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E Vestal, NY 13850 (607)301-0884

InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly Greenland, Lab Director





549 Gardnertown Rd Mount Vision, New York, 13810 Mountvisionfarms@gmail.com 607-441-7078 License #: OCM-AUCC-22-000020

Certificate of Analysis

Final

Sour



Sample #: 7022

sticides by LCMSMS	Pass	i	Analysis Date: 11/11/2024 1:14 pr		
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
MGK-264	0.0100	0.200	ND	Pass	
Myclobutanil	0.0100	0.200	ND	Pass	
Naled	0.0100	0.500	ND	Pass	
Oxamyl	0.0100	1.00	ND	Pass	
Paclobutrazol	0.0100	0.400	ND	Pass	
Pentachloronitrobenzene	0.0100	1.00	ND	Pass	
Permethrins, Total	0.0100	0.200	ND	Pass	
Phosmet	0.0100	0.200	ND	Pass	
Piperonyl Butoxide	0.0100	2.00	ND	Pass	
Prallethrin	0.0100	0.200	ND	Pass	
Propiconazole	0.0100	0.400	ND	Pass	
Propoxur	0.0100	0.200	ND	Pass	
Pyrethrins Total	0.0100	1.00	ND	Pass	
Pyridaben	0.0100	0.200	ND	Pass	
Spinetoram Total	0.0100	1.00	ND	Pass	
Spinosad Total	0.0100	0.200	ND	Pass	
Spiromesifen	0.0100	0.200	ND	Pass	
Spirotetramat	0.0100	0.200	ND	Pass	
Spiroxamine	0.0100	0.200	ND	Pass	
Tebuconazole	0.0100	0.400	ND	Pass	
Thiacloprid	0.0100	0.200	ND	Pass	
Thiamethoxam	0.0100	0.200	ND	Pass	
Trifloxystrobin	0.0100	0.200	ND	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Keeg N Guada Dr. Kelly Greenland, Lab Director





549 Gardnertown Rd Mount Vision, New York, 13810 Mountvisionfarms@gmail.com 607-441-7078 License #: OCM-AUCC-22-000020

Certificate of Analysis

Final

Sour



Sample #: 7022

Pass	i	Analysis Date: 11/11/2024 1:14 pm		
LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
0.0050	0.020	ND	Pass	
0.0050	0.020	ND	Pass	
0.0050	0.020	ND	Pass	
0.0050	0.020	ND	Pass	
0.0050	0.020	ND	Pass	
0.0050	0.020	ND	Pass	
	LOQ (μg/g) 0.0050 0.0050 0.0050 0.0050 0.0050	0.0050 0.020 0.0050 0.020 0.0050 0.020 0.0050 0.020 0.0050 0.020 0.0050 0.020 0.0050 0.020	LOQ (μg/g) Limits (μg/g) Result (μg/g) 0.0050 0.020 ND 0.0050 0.020 ND	

Heavy Metals by ICPMS	Pass	;	Analysis Date:	: 11/08/2024 9:32 am
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Antimony	0.0100	2.00	ND	Pass
Arsenic	0.00100	0.200	ND	Pass
Cadmium	0.00150	0.200	0.0270	Pass
Chromium	0.280	110	ND	Pass
Copper	0.0750	30.0	4.90	Pass
Lead	0.00250	0.500	0.00780	Pass
Mercury	0.000500	0.100	0.00216	Pass
Nickel	0.0100	5.00	0.0131	Pass
Comment: Heavy Metal contamination tested by ICPMS using	g P-NY140. Unless otherwise stated, all	QC passed.		

Micro by Petri & qPCR	Pass		Analysis Date: 11/11/2024 9:21 am	
Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Aspergillus flavus Qualitative	1	0	Not Detected	Pass
Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass
Aspergillus niger Qualitative	1	0	Not Detected	Pass
Aspergillus terreus Qualitative	1	0	Not Detected	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E Vestal, NY 13850

(607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007

Kelly N Guela Dr. Kelly Greenland, Lab Director





549 Gardnertown Rd Mount Vision, New York, 13810 Mountvisionfarms@gmail.com 607-441-7078 License #: OCM-AUCC-22-000020

Certificate of Analysis

Final

Sour



Sample #: 7022

icro by Petri & qPCR	Pass		Analysis Date: 11/11/2024 9:21 am	
Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Salmonella Qualitative	1	0	Not Detected	Pass
Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass
Total Aerobic Bacteria	10		1000	Pass
Total Yeast & Mold	10		40000	Pass

nment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". "Passed" for an adult-use product

implies the results contain less than 1,000,000 cfu/g.

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Keeg N Guela Dr. Kelly Greenland, Lab Director

