

Basin Mixtures

45 Kean St.
W. Babylon, NY
info@wegoththesauce.com
631-704-3130
License #: OCM-PROC-24-000034

Certificate of Analysis

Final



Date Released: 6/19/2025 1:12:28PM

Report #: 65133

Wedding Pie

Sample #: 15715, Weight: 28.00g, Unit Count:

Order #: X250609-0001

Category/Type: Plant, Flower - Cured

Date Collected: 6/6/2025 6:00:00PM

Date Received: 6/9/2025 3:34:43AM


Date Sampled: 6/6/2025 11:00:00AM

Regulator Sample ID: HHWPF0625001

Regulator Source Package ID: HHWPF0625001

Regulator Batch ID: HHWPF0625001

Size: 625Units, Unit Count:



Cannabinoids Avg

Total Cannabinoids: **23.99 % - 239.9 mg/g**

Total THC: **20.60 % - 206.0 mg/g**

Total CBD: **0.06856 % - 0.6856 mg/g**

Date Completed: 06/11/2025 12:00PM

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa	23978-85-0	0.001000	21.84	218.4	<div></div>
d9-THC	1972-08-3	0.001000	1.448	14.48	<div></div>
CBGa	25555-57-1	0.001000	0.5486	5.486	<div></div>
CBG	25654-31-3	0.001000	0.08170	0.8170	<div></div>
CBDa	1244-58-2	0.001000	0.07818	0.7818	<div></div>
CBDV	24274-48-4	0.001000	ND	ND	
THCV	31262-37-0	0.001000	ND	ND	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



Basin Mixtures

45 Kean St.
W. Babylon, NY
info@wegoththesauce.com
631-704-3130
License #: OCM-PROC-24-000034

Certificate of Analysis

Final



Sample #: 15715


Wedding Pie

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
CBD	13956-29-1	0.001000	ND	ND	
CBN	521-35-7	0.001000	ND	ND	
d8-THC	5957-75-5	0.001000	ND	ND	
d10/R9-THC	95543-62-7	0.001000	ND	ND	
d10/S9-THC	95588-87-7	0.001000	ND	ND	
CBC	20675-51-8	0.001000	ND	ND	

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

Terpenes by HS-GC-MS

Date Completed: 06/12/2025 5:41PM



Compound	CAS#	LOQ (%)	%	Relative Concentration
Beta-caryophyllene	87-44-5	0.1000	0.3368	<div></div>
Linalool	78-70-6	0.1000	0.2209	<div></div>
Limonene	5989-27-5	0.1000	0.2168	<div></div>
Beta-myrcene	123-35-3	0.1000	0.2080	<div></div>
Farnesene	502-61-4	0.1000	0.1608	<div></div>
Alpha-pinene	80-56-8	0.1000	ND	
Alpha-humulene	6753-98-6	0.1000	ND	
Beta-pinene	127-91-3	0.1000	ND	
Terpinolene	586-62-9	0.1000	ND	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



Basin Mixtures

45 Kean St.
W. Babylon, NY
info@wegoththesauce.com
631-704-3130
License #: OCM-PROC-24-000034

Certificate of Analysis

Final



Sample #: 15715

Wedding Pie

Compound	CAS#	LOQ (%)	%	Relative Concentration
Ocimene	13877-91-3	0.1000	ND	
Alpha-bisabolol	515-69-5	0.1000	ND	
Caryophyllene-oxide	1139-30-6	0.1000	ND	
Geraniol	106-24-1	0.1000	ND	
Camphene	79-92-5	0.1000	ND	
Guaiol	489-86-1	0.1000	ND	
Alpha-terpinene	99-86-5	0.1000	ND	
Terpineol	8006-39-1	0.1000	ND	
Fenchol	14575-74-7	0.1000	ND	
Valencene	4630-07-3	0.1000	ND	
Alpha-phellandrene	99-83-2	0.1000	ND	

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Foreign Matter by Microscopy

Pass

Analysis Date: 06/12/2025 12:33 pm

Compound	LOQ (%)	Limits (%)	Result (%)	Status
% Filth	0.00100	2.0	ND	Pass
% Mammalian Excreta	0.00100	5.0	ND	Pass
% Stems	0.00100	0.03	ND	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Moisture by Analyzer

Pass

Analysis Date: 06/12/2025 6:37 pm

Compound	LOQ (%)	Limits (%)	Result (%)	Status
Moisture	1.2	0 - 15	11.6	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



Basin Mixtures

45 Kean St.
W. Babylon, NY
info@wegoththesauce.com
631-704-3130
License #: OCM-PROC-24-000034

Certificate of Analysis

Final



Sample #: 15715

Wedding Pie

Water Activity by Meter

Pass

Analysis Date: 06/12/2025 6:37 pm

Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status
Water Activity	0.05	0.65	0.50	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS

Pass

Analysis Date: 06/12/2025 10:33 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Abamectin	0.0100	0.500	ND	Pass
Acephate	0.0100	0.400	ND	Pass
Acequinocyl	0.0100	2.00	ND	Pass
Acetamiprid	0.0100	0.200	ND	Pass
Aldicarb	0.0100	0.400	ND	Pass
Azadirachtin	0.0100	1.00	ND	Pass
Azoxystrobin	0.0100	0.200	ND	Pass
Bifenazate	0.0100	0.200	ND	Pass
Bifenthrin	0.0100	0.200	ND	Pass
Boscalid	0.0100	0.400	ND	Pass
Captan	0.0100	1.00	ND	Pass
Carbaryl	0.0100	0.200	ND	Pass
Carbofuran	0.0100	0.200	ND	Pass
Chlorantraniliprole	0.0100	0.200	ND	Pass
Chlordane-alpha	0.0100	1.00	ND	Pass
Chlorfenapyr	0.0100	1.00	ND	Pass
Chlormequat Chloride	0.0100	1.00	ND	Pass
Chlorpyrifos	0.0100	0.200	ND	Pass
Clofentezine	0.0100	0.200	ND	Pass
Coumaphos	0.0100	1.00	ND	Pass
Cyfluthrin	0.0100	1.00	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



Basin Mixtures

45 Kean St.
W. Babylon, NY
info@wegoththesauce.com
631-704-3130
License #: OCM-PROC-24-000034

Certificate of Analysis

Final



Sample #: 15715

Wedding Pie

Pesticides by LCMSMS

Pass

Analysis Date: 06/12/2025 10:33 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass
Dimethomorph	0.0100	1.00	ND	Pass
Ethoprophos	0.0100	0.200	ND	Pass
Etofenprox	0.0100	0.400	ND	Pass
Etoxazole	0.0100	0.200	ND	Pass
Fenhexamid	0.0100	1.00	ND	Pass
Fenoxycarb	0.0100	0.200	ND	Pass
Fenpyroximate	0.0100	0.400	ND	Pass
Fipronil	0.0100	0.400	ND	Pass
Flonicamid	0.0100	1.00	ND	Pass
Fludioxonil	0.0100	0.400	ND	Pass
Hexythiazox	0.0100	1.00	ND	Pass
Imazalil	0.0100	0.200	ND	Pass
Imidacloprid	0.0100	0.400	ND	Pass
Indolebutyric Acid	0.0100	1.00	ND	Pass
Kresoxim-methyl	0.0100	0.400	ND	Pass
Malathion	0.0100	0.200	ND	Pass
Metalaxyl	0.0100	0.200	ND	Pass
Methiocarb	0.0100	0.200	ND	Pass
Methomyl	0.0100	0.400	ND	Pass
Methyl Parathion	0.0100	0.200	ND	Pass
Mevinphos	0.0100	1.00	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



Basin Mixtures

45 Kean St.
W. Babylon, NY
info@wegoththesauce.com
631-704-3130
License #: OCM-PROC-24-000034

Certificate of Analysis

Final



Sample #: 15715

Wedding Pie

Pesticides by LCMSMS

Pass

Analysis Date: 06/12/2025 10:33 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
MGK-264	0.0100	0.200	ND	Pass
Myclobutanil	0.0100	0.200	ND	Pass
Naled	0.0100	0.500	ND	Pass
Oxamyl	0.0100	1.00	ND	Pass
Paclobutrazol	0.0100	0.400	ND	Pass
Pentachloronitrobenzene	0.0100	1.00	ND	Pass
Permethrins, Total	0.0100	0.200	ND	Pass
Phosmet	0.0100	0.200	ND	Pass
Piperonyl Butoxide	0.0100	2.00	ND	Pass
Prallethrin	0.0100	0.200	ND	Pass
Propiconazole	0.0100	0.400	ND	Pass
Propoxur	0.0100	0.200	ND	Pass
Pyrethrins Total	0.0100	1.00	ND	Pass
Pyridaben	0.0100	0.200	ND	Pass
Spinetoram Total	0.0100	1.00	ND	Pass
Spinosad Total	0.0100	0.200	ND	Pass
Spiromesifen	0.0100	0.200	ND	Pass
Spirotetramat	0.0100	0.200	ND	Pass
Spiroxamine	0.0100	0.200	ND	Pass
Tebuconazole	0.0100	0.400	ND	Pass
Thiacloprid	0.0100	0.200	ND	Pass
Thiamethoxam	0.0100	0.200	ND	Pass
Trifloxystrobin	0.0100	0.200	ND	Pass

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



Basin Mixtures

45 Kean St.
W. Babylon, NY
info@wegoththesauce.com
631-704-3130
License #: OCM-PROC-24-000034

Certificate of Analysis

Final



Sample #: 15715

Wedding Pie

Mycotoxins by LCMSMS

Pass

Analysis Date: 06/12/2025 10:19 am

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Aflatoxin B1	0.0050	0.020	ND	Pass
Aflatoxin B2	0.0050	0.020	ND	Pass
Aflatoxin G1	0.0050	0.020	ND	Pass
Aflatoxin G2	0.0050	0.020	ND	Pass
Ochratoxin A	0.0050	0.020	ND	Pass
Total Aflatoxin	0.0050	0.020	ND	Pass

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS

Pass

Analysis Date: 06/11/2025 2:43 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Antimony	0.0100	2.00	ND	Pass
Arsenic	0.00100	0.200	ND	Pass
Cadmium	0.00150	0.200	ND	Pass
Chromium	0.280	110	ND	Pass
Copper	0.0750	30.0	5.49	Pass
Lead	0.00250	0.500	0.0102	Pass
Mercury	0.000500	0.100	ND	Pass
Nickel	0.0100	5.00	ND	Pass

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Micro by Petri & qPCR

Pass

Analysis Date: 06/09/2025 6:17 pm

Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Aspergillus flavus Qualitative	1	0	Not Detected	Pass
Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass
Aspergillus niger Qualitative	1	0	Not Detected	Pass
Aspergillus terreus Qualitative	1	0	Not Detected	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E

Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director





Sample #: 15715Wedding Pie

Micro by Petri & qPCR		Pass		Analysis Date: 06/09/2025 6:17 pm	
Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status	
Salmonella Qualitative	1	0	Not Detected	Pass	
Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass	
Total Aerobic Bacteria	10		202000	Pass	
Total Yeast & Mold	10		339000	Pass	
Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". "Passed" for an adult-use product implies the results contain less than 1,000,000 cfu/g.					

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.
Results based on simple acceptance, not taking into consideration measuremental uncertainty.
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
Permit #: OCM-CPL-00007


Dr. Kelly Greenland, Lab Director

