3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358

License #: OCM-PROC-24-000024

## **Certificate of Analysis**



Date Released: 11/12/2024 6:09:31PM

Report #: 29685

#### **Train Wreck PR**

Sample #: 6817, Weight: 15.00g, Unit Count:

Order #: X241101-0035 Category/Type: Plant, Preroll

Date Collected: 10/31/2024 6:10:00PM Date Received: 11/1/2024 11:06:18AM Date Sampled: 10/31/2024 12:37:00PM Regulator Sample ID: TW-PR-913-24-0.75

Regulator Source Package ID: TW-PR-913-24-0.75

Regulator Batch ID: TW-PR-913-24-0.75


Size: 9676Units, Unit Count:



**Total Cannabinoids** 35.35 % 353.5 mg/g

 $\bigcirc$ 

PASS



Pesticides **PASS** 

Total THC

29.20 %



**Total CBD** 0.08608 % 0.8608 mg/g



**Total Terpenes** 0.541 %



8.1 %



**PASS** 



**PASS** 



Mycotoxins Foreign Matter Water Activity **PASS** 

Cannabinoids Avg	Total Cannabinoids: 35.35 % - 353.5 mg/g	Date Completed: 11/04/2024 1	0:45AM
	Total THC: 29 20 % - 292 0 mg/g		

lotal THC: 29.20 % - 292.0 mg/g

Total CBD: 0.08608 % - 0.8608 mg/g					
Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa	23978-85-0	0.001000	32.61	326.1	
CBGa	25555-57-1	0.001000	1.911	19.11	_
d9-THC	1972-08-3	0.001000	0.5967	5.967	•
CBG	25654-31-3	0.001000	0.1109	1.109	I
CBDa	1244-58-2	0.001000	0.09816	0.9816	1
CBDV	24274-48-4	0.001000	0.02301	0.2301	
THCV	31262-37-0	0.001000	ND	ND	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





**Keystone State Testing of New York** 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007

Kelly N Grander

Dr. Kelly Greenland, Lab Director



Page 1 of 8

3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358

**Certificate of Analysis** 



License #: OCM-PROC-24-000024

Sample #: 6817 Train Wreck PR

Compound	CAS#	LOQ	%	mg/g	Relative Concentration	
		(%)				
CBD	13956-29-1	0.001000	ND	ND		
CBN	521-35-7	0.001000	ND	ND		
d8-THC	5957-75-5	0.001000	ND	ND		
d10/R9-THC	95543-62-7	0.001000	ND	ND		
d10/S9-THC	95588-87-7	0.001000	ND	ND		
CBC	20675-51-8	0.001000	ND	ND		

Terpenes by HS-GC-MS		Myrcene	Caryophyllene		<b>Date Completed:</b> 11/04/2024 9:34A
Compound	CAS#	LOQ (%)	%	Relative Concentration	
Beta-myrcene	123-35-3	0.1000	0.2972		
Beta-caryophyllene	87-44-5	0.1000	0.2435		
Limonene	5989-27-5	0.1000	ND		
Alpha-pinene	80-56-8	0.1000	ND		
Alpha-humulene	6753-98-6	0.1000	ND		
Linalool	78-70-6	0.1000	ND		
Beta-pinene	127-91-3	0.1000	ND		
Terpinolene	586-62-9	0.1000	ND		
Ocimene	13877-91-3	0.1000	ND		

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007

Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 2 of 8

3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358 **Certificate of Analysis** 

Final



License #: OCM-PROC-24-000024

Sample #: 6817 Train Wreck PR

Compound	CAS#	LOQ (%)	%	Relative Concentration	
Alpha-bisabolol	515-69-5	0.1000	ND		
Caryophyllene-oxide	1139-30-6	0.1000	ND		
Geraniol	106-24-1	0.1000	ND		
Camphene	79-92-5	0.1000	ND		
Guaiol	489-86-1	0.1000	ND		
Alpha-terpinene	99-86-5	0.1000	ND		
Terpineol	8006-39-1	0.1000	ND		
Fenchol	14575-74-7	0.1000	ND		
Valencene	4630-07-3	0.1000	ND		
Alpha-phellandrene	99-83-2	0.1000	ND		
Farnesene	502-61-4	0.1000	ND		

Foreign Matter by Microscopy	Pass	}	<b>Analysis Date:</b> 11/04/2024 5:55 pm			
Compound	LOQ (%)	Limits (%)	Result (%)	Status		
% Foreign Matter	0.00100	2.0	ND	Pass		
Mammalian Exreta	0.00100	0.03	ND	Pass		
Stems	0.00100	5.0	ND	Pass		
Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.						

Moisture LWG	Pass	<b>3</b>	<b>Analysis Date:</b> 11/04/2024 5:52 pm		
Compound	LOQ (%)	Limits (%)	Result (%)	Status	
Moisture	1.2	5 - 15	8.1	Pass	
Comment: Physical chemistry was tested using moisture analyzer	r, water activity meter using P-NY 16	60. Unless otherwise stated, all QC passed			

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Gree Leo

Dr. Kelly Greenland, Lab Director



Page 3 of 8

3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358 **Certificate of Analysis** 

Final



License #: OCM-PROC-24-000024

Sample #: 6817 Train Wreck PR

Water Activity		Pass	<b>,</b>	<b>Analysis Date:</b> 11/04/2024 5:52 pm		
	Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status	
	Water Activity	0.05	0.65	0.56	Pass	
Co	omment: Physical chemistry was tested using moisture at	nalyzer, water activity meter using P-NY 16	0. Unless otherwise stated, all QC passe	d.		

sticides by LCMSMS	Pass	;	<b>Analysis Date:</b> 11/05/2024 6:09		
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status	
Abamectin	0.0100	0.500	ND	Pass	
Acephate	0.0100	0.400	ND	Pass	
Acequinocyl	0.0100	2.00	ND	Pass	
Acetamiprid	0.0100	0.200	ND	Pass	
Aldicarb	0.0100	0.400	ND	Pass	
Azadirachtin	0.0100	1.00	ND	Pass	
Azoxystrobin	0.0100	0.200	ND	Pass	
Bifenazate	0.0100	0.200	ND	Pass	
Bifenthrin	0.0100	0.200	ND	Pass	
Boscalid	0.0100	0.400	ND	Pass	
Captan	0.0100	1.00	ND	Pass	
Carbaryl	0.0100	0.200	ND	Pass	
Carbofuran	0.0100	0.200	ND	Pass	
Chlorantraniliprole	0.0100	0.200	ND	Pass	
Chlordane-alpha	0.0100	1.00	ND	Pass	
Chlorfenapyr	0.0100	1.00	ND	Pass	
Chlormequat Chloride	0.0100	1.00	ND	Pass	
Chlorpyrifos	0.0100	0.200	ND	Pass	
Clofentezine	0.0100	0.200	ND	Pass	
Coumaphos	0.0100	1.00	ND	Pass	
Cyfluthrin	0.0100	1.00	ND	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 4 of 8

3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358 **Certificate of Analysis** 

Final



License #: OCM-PROC-24-000024

Sample #: 6817 Train Wreck PR

sticides by LCMSMS	Pass	;	Analysis Date: 11/05/2024 6:09		
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status	
Cypermethrin	0.0100	1.00	ND	Pass	
Daminozide	0.0100	1.00	ND	Pass	
Diazinon	0.0100	0.200	ND	Pass	
Dichlorvos	0.0100	1.00	ND	Pass	
Dimethoate	0.0100	0.200	ND	Pass	
Dimethomorph	0.0100	1.00	ND	Pass	
Ethoprophos	0.0100	0.200	ND	Pass	
Etofenprox	0.0100	0.400	ND	Pass	
Etoxazole	0.0100	0.200	ND	Pass	
Fenhexamid	0.0100	1.00	ND	Pass	
Fenoxycarb	0.0100	0.200	ND	Pass	
Fenpyroximate	0.0100	0.400	ND	Pass	
Fipronil	0.0100	0.400	ND	Pass	
Flonicamid	0.0100	1.00	ND	Pass	
Fludioxonil	0.0100	0.400	ND	Pass	
Hexythiazox	0.0100	1.00	ND	Pass	
lmazalil	0.0100	0.200	ND	Pass	
Imidacloprid	0.0100	0.400	ND	Pass	
Indolebutyric Acid	0.0100	1.00	ND	Pass	
Kresoxim-methyl	0.0100	0.400	ND	Pass	
Malathion	0.0100	0.200	ND	Pass	
Metalaxyl	0.0100	0.200	ND	Pass	
Methiocarb	0.0100	0.200	ND	Pass	
Methomyl	0.0100	0.400	ND	Pass	
Methyl Parathion	0.0100	0.200	ND	Pass	
Mevinphos	0.0100	1.00	ND	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 5 of 8

3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358 **Certificate of Analysis** 

Final



License #: OCM-PROC-24-000024

Sample #: 6817 Train Wreck PR

sticides by LCMSMS	Pass	i	Analysis Date	e: 11/05/2024 6:09
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
MGK-264	0.0100	0.200	ND	Pass
Myclobutanil	0.0100	0.200	ND	Pass
Naled	0.0100	0.500	ND	Pass
Oxamyl	0.0100	1.00	ND	Pass
Paclobutrazol	0.0100	0.400	ND	Pass
Pentachloronitrobenzene	0.0100	1.00	ND	Pass
Permethrins, Total	0.0100	0.200	ND	Pass
Phosmet	0.0100	0.200	ND	Pass
Piperonyl Butoxide	0.0100	2.00	ND	Pass
Prallethrin	0.0100	0.200	ND	Pass
Propiconazole	0.0100	0.400	ND	Pass
Propoxur	0.0100	0.200	ND	Pass
Pyrethrins Total	0.0100	1.00	ND	Pass
Pyridaben	0.0100	0.200	ND	Pass
Spinetoram Total	0.0100	1.00	ND	Pass
Spinosad Total	0.0100	0.200	ND	Pass
Spiromesifen	0.0100	0.200	ND	Pass
Spirotetramat	0.0100	0.200	ND	Pass
Spiroxamine	0.0100	0.200	ND	Pass
Tebuconazole	0.0100	0.400	ND	Pass
Thiacloprid	0.0100	0.200	ND	Pass
Thiamethoxam	0.0100	0.200	ND	Pass
Trifloxystrobin	0.0100	0.200	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guela

Dr. Kelly Greenland, Lab Director



Page 6 of 8

3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358 **Certificate of Analysis** 

Final



License #: OCM-PROC-24-000024

Sample #: 6817 Train Wreck PR

lycotoxins by LCMSMS	Pass	,	Analysis Date	: 11/05/2024 6:09 pm
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
Aflatoxin B1	0.0050	0.020	ND	Pass
Aflatoxin B2	0.0050	0.020	ND	Pass
Aflatoxin G1	0.0050	0.020	ND	Pass
Aflatoxin G2	0.0050	0.020	ND	Pass
Ochratoxin A	0.0050	0.020	ND	Pass
Total Aflatoxin	0.0050	0.020	ND	Pass
Comment: Mycotoxin contamination tested by LCMSMS usin	ng P-NY125. Unless otherwise stated, all	QC passed.		

avy Metals by ICPMS	Pass		Analysis Date: 11/05/2024 10:29	
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status
Antimony	0.0100	2.00	0.0116	Pass
Arsenic	0.00100	0.200	ND	Pass
Cadmium	0.00150	0.200	0.0482	Pass
Chromium	0.280	110	0.515	Pass
Copper	0.0750	30.0	10.8	Pass
Lead	0.00250	0.500	0.0902	Pass
Mercury	0.000500	0.100	0.00456	Pass
Nickel	0.0100	5.00	0.721	Pass

Micro by Petri & qPCR		Pass	Pass		<b>Analysis Date</b> : 11/05/2024 9:43 am	
	Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status	
	Aspergillus flavus Qualitative	1	0	Not Detected	Pass	
	Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass	
	Aspergillus niger Qualitative	1	0	Not Detected	Pass	
	Aspergillus terreus Qualitative	1	0	Not Detected	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007



Dr. Kelly Greenland, Lab Director



Page 7 of 8

3121 State Route 54A Bluff Point, NY 14478 Keuka Park NY 14478 elh25@cornell.edu 607-351-1358

License #: OCM-PROC-24-000024

# **Certificate of Analysis**

Final



#### Sample #: 6817 Train Wreck PR

Micro by Petri & qPCR		Pass	•	<b>Analysis Date:</b> 11/05/2024 9:43 am		
	Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status	
	Salmonella Qualitative	1	0	Not Detected	Pass	
	Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass	
	Total Aerobic Bacteria	10		6000	Pass	
	Total Yeast & Mold	10		<loq< td=""><td>Pass</td></loq<>	Pass	
Co		Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". "Passed" for an adult-use product				

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007 Kelly N Guelal

Dr. Kelly Greenland, Lab Director



Page 8 of 8 Report Date: 11/12/2024 6:13:14PN